



**STATEMENT OF METHODOLOGY AND
CHARGES FOR CONNECTION TO THE
ELECTRICITY DISTRIBUTION SYSTEM OF
UK POWER NETWORKS (IDNO) LTD**

Effective from 26 October 2012

Publication Date 23 October 2012

Contents

| | |
|---|----|
| Important Note | 5 |
| Section 1 – General Information | 6 |
| Competition in Connections..... | 7 |
| Contractual Framework..... | 7 |
| Structure of this document and Further Information | 9 |
| Disputes | 10 |
| Section 2 – Applying for a connection where we undertake all of the relevant work | 12 |
| Persons entitled to apply for a connection | 12 |
| Procedure for getting a connection | 12 |
| Information Required | 13 |
| Budget Estimates..... | 14 |
| Feasibility Studies | 14 |
| Connection Offers - How is your formal application handled?..... | 14 |
| Cost Breakdown | 15 |
| Interactive Connection Applications | 16 |
| Transitional arrangements..... | 16 |
| Small Scale Embedded Generation | 16 |
| Embedded Networks | 17 |
| Section 3 – Applying for a connection where an ICP undertakes the Contestable Work | 18 |
| Introduction | 18 |
| Procedure for getting a connection | 18 |
| Information Required | 20 |
| Budget Estimates..... | 20 |
| Feasibility Studies | 21 |
| POC Offers - How is your formal application handled? | 21 |
| Cost Breakdown | 22 |
| Interactive Connection Applications | 23 |
| Transitional arrangements..... | 23 |
| Section 4 – Information specific to us | 24 |
| Introduction | 24 |
| Connection Offer and POC Offer Validity Periods..... | 24 |

| | |
|--|-----------|
| Section 5 – Common Connection Charging Methodology | 25 |
| Minimum Scheme | 25 |
| Cost Allocation | 26 |
| Costs to be paid in full by you | 26 |
| Costs to be apportioned between you and us..... | 27 |
| Recovery of costs for previous works..... | 30 |
| Costs to be paid in full by us..... | 30 |
| Recovered Equipment and Deferment of Asset Replacement | 31 |
| Rebates..... | 31 |
| Speculative Developments | 31 |
| Connection Alterations..... | 32 |
| National Grid Electricity Transmission (NGET) Charges to us | 32 |
| Land Rights..... | 32 |
| Unmetered Supplies..... | 33 |
| Capacity Ramping for LDNOs..... | 33 |
| Disconnection and De-Energisation..... | 34 |
| Adoption Payments | 34 |
| Competition in Connection | 34 |
| Worked Examples Illustrating the Application of the Connection Charging Methodology | 35 |
| Section 6 – Our Specific Connection Charging Methodology..... | 69 |
| Introduction..... | 69 |
| Payment Terms | 69 |
| Competition in Connections..... | 69 |
| Non-Contestable Work | 69 |
| Contestable Work | 70 |
| Contestable Reinforcement and Diversionary Work | 72 |
| Table of Contestable/Non-Contestable Work | 73 |
| Inspection and Monitoring | 74 |
| Factors influencing Competition in Connection (CIC) Charges | 75 |
| Projects | 75 |
| Use of the Connection | 75 |
| Capitalised Operation and Maintenance Charges..... | 75 |
| Charges for Assessment and Design..... | 76 |

| | |
|---|------------|
| Reservation of Import Capacity | 76 |
| Implications of non-half-hourly metering on capacity entitlement..... | 77 |
| Non Standard Substation Buildings | 77 |
| Connections for Highway Services Equipment | 77 |
| Margin included in Connection Offers | 77 |
| Section 7 – Connection Charging Statement | 79 |
| Introduction | 79 |
| Quotation Accuracy Scheme | 81 |
| A Budget Estimates | 83 |
| B Feasibility Studies..... | 85 |
| C Assessment and Design for all relevant work..... | 87 |
| D CIC Assessment and Design of the Non-Contestable Work..... | 89 |
| E CIC Design Approval of the Contestable Work..... | 91 |
| F Construction | 93 |
| G CIC Final Works and Phased Energisation..... | 114 |
| H CIC Inspection and Monitoring of the Contestable Works..... | 116 |
| I Land Rights | 117 |
| J Other | 118 |
| Section 8 – Glossary of Terms..... | 119 |

Important Note

This document consists of a Connection Charging Methodology that has been approved by the Gas and Electricity Markets Authority ('the Authority') and a Connection Charging Statement, the form of which has been approved by the Authority. This document also provides other information to explain the options available for obtaining a connection and the processes that need to be followed.

The Connection Charging Statement provides the basis of charges for the provision of a connection whilst the Connection Charging Methodology describes the methodology under which Customers will be charged for a connection to UK Power Networks (IDNO) Ltd. We are a Licensed Distribution Network Operator (LDNO). In the interests of space in the tables in this document, UK Power Networks (IDNO) Ltd is abbreviated to IDNO (OPN).

This document has been prepared by us in accordance with the requirements of our Licence issued under the Electricity Act 1989 (as amended)('the Act').

A fee of £10 (plus VAT) will be payable at the Company's discretion for each hard copy of this document which is provided in accordance with a request. An electronic copy of this document is available free of charge from the Company's website at: www.ukpowernetworks.co.uk

Section 1 – General Information

1.1 We are UK Power Networks (IDNO) Ltd. The Company owns a Distribution System in and adjacent to Stratford, London and holds a Distribution Licence under the Act to distribute electricity from its Distribution System. UK Power Networks (IDNO) Limited’s distribution network services the 2012 Olympic Park and Stratford City Development. This statement is applicable in respect of further connections that are required to be made to the Distribution System. Some of the LDNOs have Distribution Service Areas which are shown on the map below.



1.2 Whilst some LDNOs do not have a Distribution Service Area, they may also be able to provide connections to customers within Great Britain.

- 1.3 The provision of a connection to our Distribution System may be undertaken by ourselves, our agents or associated companies. Alternatively, certain activities may be undertaken by an Independent Connections Provider (ICP).
- 1.4 This document describes the Connection Charging Methodology under which Customers will be charged for connection and provides details of illustrative costs; it also describes how you can obtain a new or altered connection to our Distribution System.
- 1.5 We will review this document in accordance with our Licence obligations at least once a year to ensure that the information continues to be accurate in all respects. Costs shown in the Connection Charging Statement are current at the time of publication and are subject to change without notice except as otherwise provided.
- 1.6 Certain words in this document are capitalised, e.g. Distribution System. These words have a specific meaning which is set out in the Glossary of Terms. The words “you”, “your” and “yourself” refer to the Customer, the person requesting a connection, his company or agent and “we”, “us”, “our” and “ourselves” refer to UK Power Networks (IDNO) Ltd or our agents.

Competition in Connections

- 1.7 Competition in Connections (CIC) is the term attributed to the opening up of the market for the design, procurement and installation of new assets necessary to accommodate a new or modified electricity connection. You have the option to have some of the connections work, referred to as Contestable Work, carried out by an ICP who must be accredited with Lloyds Register unless otherwise agreed with us.
- 1.8 Section 6 of this document contains details of the elements of work which are Contestable and Non-Contestable, and the arrangements which apply if you choose to appoint an ICP to carry out Contestable Work.
- 1.9 The Non-Contestable Work can only be carried out by us or our appointed agents.
- 1.10 If you wish to appoint an ICP to carry out Contestable Work you may do so, and if you want us to adopt the Contestable Work after completion we will require you and/or your ICP to enter into an Adoption Agreement.
- 1.11 Further information outlining the process and options available is given in Section 3 of this document.

Contractual Framework

- 1.12 Depending on the size and type of the connection and whether you wish ourselves, or an ICP, to undertake any Contestable Work you will need to enter into a set of contractual arrangements. Unless you are an LDNO, you will also need to appoint a Supplier who must also be a party to various industry agreements and codes. These are outlined below:-

Offer to connect the Premises and to construct the connection (Connection Offer)

1.13 The offer that we make to you to carry out the connection works (both Non-Contestable and Contestable Work) to our Distribution System which will, if accepted by you, create a legally binding contract between you and us. Its terms will depend, amongst other things, on the complexity and value of the work to be carried out.

Offer to undertake Non-Contestable Work only (POC Offer)

1.14 The offer that we make to you to carry out the Non-Contestable Work only to allow connection to our Distribution System which will, if accepted by you, create a legally binding contract between you and us. Its terms will depend, amongst other things, on the complexity and value of the work to be carried out.

Adoption Agreement

1.15 The Adoption Agreement is an agreement for us to adopt the Contestable Work, subject to the satisfaction of certain conditions. This agreement, amongst other things, addresses a number of fundamental principles:

- The transfer of title from the asset owner (normally the Customer or the ICP) to us;
- The quality and safety of the adopted asset;
- Any required sureties;
- The transfer of Land Rights;
- The procedure for us to Energise the assets installed by the ICP during the works;
- The payment of any residual Connection Charges or fees;
- Planning permissions and compliance with street works legislation; and
- Defect correction processes, where applicable.
- The parties to the Adoption Agreement may vary depending on the circumstances and may be between:-
 - us and you
 - us and your appointed ICP
 - us, you and your appointed ICP

Connection Agreement

1.16 The owner/ occupier of the Premises to which the connection is to be provided will be required to enter into a Connection Agreement with us. The Connection Agreement will set out the terms upon which they will be, and remain, connected to our Distribution System. The Connection Agreement will normally be provided on our behalf by the owner/occupier's chosen Supplier for the Premises as part of their application for a supply of electricity.

1.17 However, in some cases for larger connections, or where non-standard conditions exist, we will provide a site-specific Connection Agreement, which replaces any Connection Agreement put in place via the Supplier, as part of the connection process. This particular Connection Agreement will only take effect upon completion of the connection and will set out, in more detail, our rights and obligations to one another. Additionally, it may contain the technical detail of the installation being connected to the Distribution System

and will require the owner/occupier of the Premises to comply with the provisions of the Distribution Code.

1.18 The Distribution Code covers, amongst other matters, all material technical aspects relating to:

- connection to, and the operation and use of a LDNO's Distribution System; and
- the operation of electrical lines and electrical plant or apparatus connected to an LDNO's Distribution System.

A copy of the Distribution Code can be downloaded from the Distribution Code website at www.dcode.org.uk.

Appointment of a Supplier

1.19 It is your responsibility to make arrangements with a Supplier of your choice. You, or your Supplier, must also arrange for the installation of metering equipment appropriate to the connection that is being provided for you. The metering must be installed before a supply of electricity can be provided. In order to obtain a supply of electricity, you will need a Supply Number (also known as a Meter Point Administration Number or 'MPAN') for each connection. We will issue the MPAN shortly before installing the connection, but only upon receipt of the full postal address of the Premises.

Please note that we are unable to give advice on a choice of Supplier.

The link below will take you to the Consumer Focus website where you will find a list of Suppliers.

www.consumerfocus.org.uk

1.20 Energisation will not take place unless the appropriate metering, where this is required, has been installed.

1.21 Your Supplier will be a party to a number of industry codes and agreements which, will allow it to use the GB Transmission System, our Distribution System and also allow it to purchase and trade energy on behalf of its customers.

Structure of this document and Further Information

1.22 The document is divided into a number of Sections.

1.23 Section 2 outlines the high level process for applying for a connection where we undertake all the relevant works and provides the relevant contact details.

1.24 Section 3 outlines the high level process for applying for a connection where an ICP undertakes the Contestable Work and provides the relevant contact details.

1.25 Section 4 provides further information specific to us regarding obtaining a connection.

1.26 Section 5 details the Common Connection Charging Methodology which sets out how Connection Charges are to be calculated and includes examples of how the methodology would be applied in particular circumstances.

1.27 Section 6 details our Specific Connection Charging Methodology which includes additional aspects of our charging methodology that are not included in Section 5.

- 1.28 Section 7 contains the Connection Charging Statement which enables reasonable estimates of the charges liable for connection to be made.
- 1.29 Section 8 provides a glossary of terms used throughout the document.
- 1.30 For further information about this document (or if you need advice about getting a connection), please contact: -

Agreements Manager
UK Power Networks
Energy House
Carrier Business Park
Hazelwick Avenue
Three Bridges
CRAWLEY
RH10 1EX
Phone: 01293 657939
Fax: 01293 577731

E-mail: agreements.manager@ukpowernetworks.co.uk

Disputes

- 1.31 If you are not satisfied with the terms we have offered, or with our handling of your application, please contact:

Customer Relations
UK Power Networks
Fore Hamlet
Ipswich
IP3 8AA
Phone: 0845 7673673
Fax: 01473 266 866

E-mail: customer.relations@ukpowernetworks.co.uk

- 1.32 If you are still not satisfied with our actions and you have followed our complaints procedure, then domestic and small business customers have the right to contact the Energy Ombudsman. This is a free and independent dispute resolution service. They can be contacted at:

Energy Ombudsman
PO Box 966
Warrington
WA4 9DF
Phone: 0845 055 0760
Fax: 0845 055 0765

Email: enquiries@energy-ombudsman.org.uk

www.energy-ombudsman.org.uk

- 1.33 If the Energy Ombudsman is unable to deal with or resolve the dispute then either party may request a determination of the matter by the Gas and Electricity Markets Authority (the Authority), whose details are:

The Office of Gas and Electricity Markets (OFGEM)

9 Millbank

London

SW1P 3GE

Phone: 020 7901 7000

Fax: 020 7901 7066

www.ofgem.gov.uk

Section 2 – Applying for a connection where we undertake all of the relevant work

This Section applies where you want us to undertake all the works necessary to provide your connection. Section 3 applies where you wish to appoint an ICP to undertake any Contestable Work. You may make a request under Section 2 and Section 3 at the same time.

Persons entitled to apply for a connection

- 2.1 Any person may apply in their own right for a connection to our Distribution System.
- 2.2 Any person may appoint an agent to apply for a connection on their behalf but the agent may be required to provide written evidence of their appointment on application.
- 2.3 Persons entitled to seek connection to our Distribution System for the purpose of generating electricity or for supplying electricity are those who are authorised by licence or by exemption under the Act to generate or supply electricity.

Procedure for getting a connection

- 2.4 A person seeking a new or modified connection should contact us as detailed below.

Projects Gateway
UK Power Networks
Metropolitan House
Darkes Lane
POTTERS BAR
Hertfordshire
EN6 1AG

General Enquiries
Phone: 0845 234 0040
E-mail: connections@ukpowernetworks.co.uk

Domestic and small commercial customers
(up to 70 kVA or for work to connect up to four properties)
E-mail: connections.smallservices@ukpowernetworks.co.uk
Fax: 08701 964 133 or 08701 964 146

Customers with larger power requirements
(over 70 kVA or for work to connect five or more properties)
E-mail: connections.projectsgateway@ukpowernetworks.co.uk
Fax: 0845 6500 248
Phone: 08701 964599

Customers requiring unmetered connections in London and the East of England
Fax: 08701 964 562
Phone: 08701 962 217

Customers requiring connections for telecommunications equipment
E-mail: connections.mobilemasts@ukpowernetworks.co.uk
Fax: 08701 964 562
Phone: 08701 962 279

These contact details should be used regardless of whether you wish the Company or an Approved Contractor to carry out Contestable Work

- 2.5 We will offer terms for the making of a connection as soon as reasonably practicable, but in any event within three months once we have received your completed application. In addition to the terms for making the connection we will specify the proposed POC to our Distribution System, the location of the Entry/Exit Point on the Premises to be connected and details of the work to be carried out by us.

The link below will take you to our website where further information is available:

www.ukpowernetworks.co.uk

Information Required

- 2.6 When you make your application to us you should provide the information set out below. In some cases, it is possible that additional information will be required and we will notify you of this when we have assessed your requirements.
- 2.7 If you do not provide the information we need it will prevent us from dealing with your enquiry as quickly as we would like, so please provide the information indicated on our application form. The information we require will vary depending on the nature of your connection request. Typically we require the following details:
- Your name and correspondence address and other contact details.
 - The Premises address.
 - Whether you require a Budget Estimate or a formal Connection Offer. A formal Connection Offer is a contractual document and more appropriate once you are in a position to decide whether the project can proceed to the construction phase.
 - A site location plan showing the site boundary.
 - A site layout plan, drawn to a suitable scale, indicating where the connection(s) are required.
 - The number of connections you require.
 - The Required Capacity for each connection.
 - Details of the heating to be installed.
 - The date by which you require the connection to be made.
 - Whether the connection is required for a fixed period or indefinitely.

- The type of connection required, e.g. demand, generator or for a licensed, embedded network. Further information on generation connections can be found in our Distributed Generation Connections Guide which can be accessed from our website.
- Any information you have in respect of equipment which may interfere with our Distribution System or the supply of electricity to others (e.g. apparatus which can cause voltage fluctuations, such as large motors associated with air conditioning systems, lifts, cranes, hoists and other similar plant; or apparatus which can produce harmonics, such as uninterruptible power supplies or electronic control systems).

An application form can be downloaded from our website, www.ukpowernetworks.co.uk

Budget Estimates

- 2.8 If you make an enquiry of a provisional nature we can provide an indication of the charge for providing the connection in a Budget Estimate. We will not carry out any detailed design work and the assessment will be carried out as a desk top exercise. Any estimate that we provide at this stage will be the result of a preliminary assessment only and possibly without any site specific considerations being taken into account. You should note that the estimate that we provide at this stage may vary considerably from any further Budget Estimates or the price in any formal Connection Offer. A Budget Estimate is not a formal offer for connection and cannot be accepted by you. See Section 7, Part A for charges associated with the provision of Budget Estimates.

Feasibility Studies

- 2.9 We may undertake at your request, generally for more complex connections, a Feasibility Study to consider a number of options for connection and provide estimated costs for each option as appropriate. Any cost estimated at this stage will be purely indicative and not binding. The price in any formal Connection Offer to you may differ from it. A Feasibility Study is not a formal offer for connection and cannot be accepted by you. See Section 7, Part B for charges associated with the provision of Feasibility Studies.

Connection Offers - How is your formal application handled?

- 2.10 You do not need to have requested a Budget Estimate or Feasibility Study before you request a formal Connection Offer. When you request a connection to our Distribution System, your request is dealt with in five key stages.

Stage 1 – Your application

- 2.11 We will only be able to progress your application once you have provided us with the information we require (see 2.7). We will notify you if we require any additional information in order to process your application.

Stage 2 – Our design

2.12 When we design the connection for you it takes into account the location of the Premises for which the connection is required, its proximity to the existing Distribution System and the available capacity in the Distribution System to provide the connection that you require.

Stage 3 – Our Connection Offer

2.13 This is our formal written offer to you to provide the connection to the Distribution System. This offer will set out the terms and the Connection Charge for making the connection. The Connection Offer may be accepted by you in accordance with its terms at any time within the Validity Period set out in our Connection Offer, providing it is not, or does not become an Interactive Connection Offer as described in paragraph 2.21. You should note that the price provided by us at this stage may vary considerably from any previous Budget Estimates or Connection Offers.

Stage 4 – Acceptance of our Connection Offer

2.14 If you wish to accept our Connection Offer to the Distribution System you must:

- accept that offer in accordance with its terms within the Validity Period; and
- make any required payment due on acceptance by the means specified in our Connection Offer.

2.15 A valid acceptance of our Connection Offer will create a legally binding agreement between us.

Stage 5 – Construction of the required works by us

2.16 At this stage we will carry out the construction work, subject to the terms of the accepted Connection Offer, to provide the new connection. We will maintain appropriate liaison with you during the planning and execution of the works.

2.17 Supply Numbers (Metering Point Administration Numbers or ‘MPANs’) will be issued before the connection works are completed, so that you can make arrangements with your Supplier. On completion of this stage, the work required to provide the connection will have been installed and will be available for use.

Cost Breakdown

2.18 For Connection Offers that include Contestable Work with a Connection Charge in excess of £20,000, we will provide a breakdown of costs, that are referable to the tables in Section 7, which will include as a minimum :-

- a description of the works involved, including whether it is an Enhanced Scheme
- the length of underground cable/overhead line required
- the number of substations required
- information on any Reinforcement works required;
- legal and professional charges associated with the securing of Land Rights.

- 2.19 Where the Connection Charge is based on the Minimum Scheme and not the Enhanced Scheme that is to be built, a cost breakdown of both the Minimum Scheme and the Enhanced Scheme will be provided in accordance with paragraph 2.18. Where the Connection Charge to you is based on an enhanced connection arrangement requested by you, and not the Minimum Scheme, a cost breakdown of the Minimum Scheme can be provided on request.
- 2.20 Where requested by you, we will provide details of how any cost apportionment factors have been calculated.

Interactive Connection Applications

- 2.21 'Interactive Connection Applications' arise where the Company receives two or more applications for connection which could individually make use of the same part of the Distribution System, but where there is insufficient spare capacity or other network constraints on the Company's Distribution System that will prevent both being connected. For connections with a requested capacity in excess of 1MVA, the Company will normally apply an interactive connection application process in order to prioritise the applications fairly. The Application Date (please refer to the Connection Process section above) will be used to sequence Connection Offers in time order such that the first Connection Offer will be made to the first applicant to reach the 'application' stage of the process, and so on. All parties will be notified in writing if their application is interactive, or becomes Interactive with others, and the validity period of any current Connection Offer will be reduced to thirty (30) days from the date of any such notification, where more than thirty (30) days is still outstanding.

(NB Paragraphs 2.23 to 2.28 inclusive are intentionally not included in this document)

Transitional arrangements

- 2.22 Connection Offer issued by us will include a Connection Charge calculated in accordance with our Connection Charging Methodology, which is current at the time of issue. If you accept our Connection Offer and the connection work is completed within the prescribed periods set out in it, the Connection Offer shall remain valid even if our Connection Charging Methodology should change, by approval of the Authority, in the interim period between acceptance of the Connection Offer and completion of the connection work

Small Scale Embedded Generation

- 2.29 Small Scale Embedded Generation (SSEG) is defined as a source of electrical energy rated up to and including 16 Amperes per phase, single or multi-phase, LV and designed to operate in parallel with our Distribution System. If you install a SSEG unit (typically domestic combined heat and power units, domestic photovoltaic and domestic wind turbines), you must, in accordance with statutory requirements, advise us of your intention to utilise the SSEG installation no later than 28 days (inclusive of the day of commissioning), after its commissioning.

- 2.30 Engineering Recommendation G83/1-1 entitled “Recommendations for the Connection of Small-Scale Embedded Generators (Up to 16A per phase) in Parallel with Public Low-Voltage Distribution Networks” is published by the Energy Networks Association (ENA). It sets out the technical requirements for the connection of SSEG units. For further information visit either the ENA web-site (www.energynetworks.org).
- 2.31 For the connection of other types of generator please follow the process above so we can make an offer to connect your generator. Further information can be found in our Distributed Generation Connections Guide which can be accessed from our website.

Embedded Networks

- 2.32 Any person wishing to build a distribution network requiring a connection to our Distribution System should apply to us using the processes set out in either Section 2 or Section 3.
- 2.33 We accept and shall work to Engineering Recommendation G88 entitled; “Principles for the planning, connection and operation of electricity distribution networks at the interface between Distribution Network Operators (DNOs) and Independent Distribution Network Operators (IDNOs)”, published by the ENA.
- 2.34 A Bilateral Connection Agreement will be required between us and the connected party, setting down the specific terms and conditions for connection that will apply in relation to the connection for the long term. While such terms and conditions will be consistent with our Connection Charging Methodology, the Bilateral Connection Agreement will take precedence.

Section 3 – Applying for a connection where an ICP undertakes the Contestable Work

This Section applies where you wish to appoint an ICP to undertake any Contestable Work. Section 2 applies where you want us to undertake all the works necessary to provide your connection. You may make a request under Section 2 and Section 3 at the same time.

Introduction

- 3.1 As set out in paragraphs 2.1 to 2.3, any person may apply for a connection to our Distribution System.
- 3.2 You may choose to appoint an ICP to carry out Contestable Work. If you do, we may require you to confirm such appointment in writing.
- 3.3 We must be satisfied that the ICP has sufficient accreditation to carry out the Contestable Work to the required standards. You may appoint an ICP accredited for the appropriate work categories under the National Electricity Registration Scheme presently operated by Lloyds Register. Details of the National Electricity Registration Scheme are available from the Lloyds Register website at www.lloydsregister.co.uk/Schemes.html. Where the ICP is to carry out live jointing of underground LV cables to the Distribution System we may require the ICP to undergo an initial period of assessment.
- 3.4 If you do appoint an ICP to undertake the Contestable Work, we will carry out and charge you for the Non-Contestable Work. We will also charge for carrying out various services associated with the Contestable Work; for example approval of the design and inspection of the assets to be adopted. These are collectively known as the CIC Charges and they will be identified in any POC Offer that we provide.
- 3.5 An explanation of the works that are categorised as ‘Contestable’ and ‘Non-Contestable’ by us is provided in Section 6. Further information relating to the process is also available from our website www.ukpowernetworks.co.uk

Procedure for getting a connection

- 3.6 A person seeking a new or modified connection should contact us as detailed below.

Projects Gateway
UK Power Networks
Metropolitan House
Darkes Lane
POTTERS BAR
Hertfordshire
EN6 1AG

Competition in Connections team
E-mail: CICgateway.connections@ukpowernetworks.co.uk
Fax: 0845 6500 248
Phone: 01293 509 402

- 3.7 We will submit a POC Offer to you or your appointed ICP. The POC Offer will, on acceptance, form the construction agreement which covers the Non-Contestable Work we will undertake. We will enter into an Adoption Agreement with the relevant parties. These agreements will need to be signed and exchanged before any work is undertaken.
- 3.8 The POC Offer will be sent as soon as reasonably practicable, and we will take all reasonable steps to meet the timescales indicated within the table below once we have received your completed application. In addition to the terms for making the connection we will specify the proposed POC to our Distribution System and details of the work to be carried out by us.
- 3.9 Appendix 1 of Standard Licence Condition 15 of our Licence details the standards of performance that we must take all reasonable steps to comply with when providing the POC Offer, design approval, connection and Energisation of the connection. These are repeated in the table below:

| Provision of POC Offers | Performance |
|---|--|
| (a) low voltage demand: for a new demand connection to our Distribution System where the highest voltage of the assets at the POC and any associated works is not more than one kilovolt. | within fifteen Working Days of receiving the request |
| (b) low voltage generation: for a new generation connection to our Distribution System where the highest voltage of the assets at the POC and any associated works is not more than one kilovolt. | within thirty Working Days of receiving the request |
| (c) high voltage demand: for a new demand connection to our Distribution System where the highest voltage of the assets at the POC and any associated works is more than one kilovolt but not more than 22 kilovolts. | within twenty Working Days of receiving the request |
| (d) high voltage generation: for a new generation connection to our Distribution System where the highest voltage of the assets at the POC and any associated works is more than one kilovolt but not more than 22 kilovolts. | within fifty Working Days of receiving the request |
| (e) extra high voltage demand: for a new demand connection to our Distribution System where the highest voltage of the assets at the POC and associated works is more than 22 kilovolts but not more than 72 kilovolts. | within fifty Working Days of receiving the request |
| (f) other connections: for a new demand connection or generation connection to our Distribution System that is not included within the preceding sub-paragraphs. | within three months of receiving the request |

The link below will take you to our website where further information is available:

www.ukpowernetworks.co.uk

Information Required

- 3.10 When you make your application to us you should provide the information set out below. In some cases, it is possible that additional information will be required and we will notify you of this when we have assessed your requirements.
- 3.11 If you do not provide the information we need it will prevent us from dealing with your enquiry as quickly as we would like, so please provide the information indicated on our application form. The information we require will vary depending on the nature of your connection request. Typically we require the following details:
- Your name and correspondence address and other contact details.
 - The Premises address.
 - Whether you require a Budget Estimate or a formal POC Offer. A formal POC Offer is a contractual document and more appropriate once you are in a position to decide whether the project can proceed to the construction phase.
 - A site location plan showing the site boundary, indicating where the connection(s) are required.
 - The Required Capacity.
 - The date by which you require the connection to be made.
 - The characteristics of the connections, e.g. demand, generator or for a licensed, embedded network. Further information on generation connections can be found in our Distributed Generation Connections Guide which can be accessed from our website.
 - Any information you have in respect of equipment which may interfere with our Distribution System or the supply of electricity to others (e.g. apparatus which can cause voltage fluctuations, such as large motors associated with air conditioning systems, lifts, cranes, hoists and other similar plant; or apparatus which can produce harmonics, such as uninterruptible power supplies or electronic control systems)
- 3.12 An application form can be downloaded from our website, www.ukpowernetworks.co.uk

Budget Estimates

- 3.13 If you make an enquiry of a provisional nature we can provide an indication of the charge for providing the connection in a Budget Estimate. We will not carry out any detailed design work and the assessment will be carried out as a desk top exercise. Any estimate that we provide at this stage will be the result of a preliminary assessment only and possibly without any site specific considerations being taken into account. You should note that the estimate that we provide at this stage may vary considerably from any further Budget Estimates or the price in any formal POC Offer. A Budget Estimate is not a formal offer for connection and cannot be accepted by you. See Section 7, Part A for charges associated with the provision of Budget Estimates.

Feasibility Studies

- 3.14 We may undertake at your request, generally for more complex connections, a Feasibility Study to consider a number of options for connection and provide estimated costs for each option as appropriate. Any cost estimated at this stage will be purely indicative and not binding. The price in any formal POC Offer to you may differ from it. A Feasibility Study is not a formal offer for connection and cannot be accepted by you. See Section 7, Part B for charges associated with the provision of Feasibility Studies.

POC Offers - How is your formal application handled?

- 3.15 You do not need to have requested a Budget Estimate or Feasibility Study before you request a formal POC Offer. When you require a connection to our Distribution System and propose to use an ICP to carry out the Contestable Work, the ICP may make an application on your behalf. The request will be dealt with in five key stages, as follows:

Stage 1 - Your Application

- 3.16 We will only be able to progress your application once you have provided us with the information we require (see 3.11). We will notify you within five Working Days if we require any additional information in order to process your application.
- 3.17 If you choose to appoint an ICP to carry out the Contestable Work then the POC will be based on the information provided to us by the ICP and will be determined by us taking into account the ICP's requirements and our wider obligations. For larger demand and generator connections more than one POC may need to be assessed. A table showing our indicative charges for assessing the POC is given in paragraph 7.16. These charges will be included within the POC Offer.

Stage 2 – Design

- 3.18 Our design of the Non-Contestable Work and the identification of the POC will take into account the location of the Premises for which a connection is required, its proximity to our Distribution System, and the available capacity in our Distribution System to provide the connection that you require.

Stage 3 – Our POC Offer and the Adoption Agreement

- 3.19 This is our formal written offer to you to provide the connection to our Distribution System. This POC Offer will set out the terms and the price upon which we will make that connection, whilst the Adoption Agreement will set out the terms for adoption of assets installed by an ICP. The POC Offer that we make to you may be accepted by you in accordance with its terms at any time within the Validity Period set out in our POC Offer. You should note that the price provided by us at this stage may vary considerably from previous Budget Estimates.

Stage 4 – Acceptance of our POC Offer

- 3.20 If you wish to accept our POC Offer to connect to our Distribution System, you must
- accept that POC Offer in accordance with its terms within the Validity Period;

- obtain design approval from us for the Contestable Work in the timescales specified;
- make any required payment due on acceptance by the means specified in our POC Offer; and
- return the signed Adoption Agreement in the timescales specified.

3.21 A valid acceptance of our POC Offer will create a legally binding agreement between us. Where the terms of the Adoption Agreement have been unaltered, we will sign the Adoption Agreement and return a copy to the relevant parties.

Stage 5 - Construction by us and the ICP

3.22 At this stage we carry out construction of the Non-Contestable Work and the ICP carries out construction of the Contestable Work we will carry out routine inspections of the Contestable Work as it is installed. Shortly before the Contestable Work is ready for connection to the Distribution System your appointed ICP must contact us so that we can arrange a date to connect the Contestable Work. Subject to the provision of any required documentation and the satisfactory completion of any required tests we shall connect the Contestable Work to our Distribution System and adopt the assets. Supply Numbers (Metering Point Administration Numbers or 'MPANs') will be issued before the connection works are completed, so that arrangements can be made with the Supplier. On completion of this stage, the Extension Assets and Entry/ Exit Point(s), as appropriate, will have been commissioned and will be available for use.

Cost Breakdown

3.23 For for all POC Offers comprising Non-Contestable Work only, we will provide a breakdown of costs, that are referable to the tables in Section 7, which will include as a minimum :-

- a description of the works involved, including whether it is an Enhanced Scheme
- the length of underground cable/overhead line required
- the number of substations required
- information on any Reinforcement works required;
- legal and professional charges associated with the securing of Land Rights.

3.24 Where the Connection Charge is based on the Minimum Scheme and not the Enhanced Scheme that is to be built, a cost breakdown of both the Minimum Scheme and the Enhanced Scheme will be provided in accordance with paragraph 3.23. Where the Connection Charge to you is based on an enhanced connection arrangement requested by you, and not the Minimum Scheme, a cost breakdown of the Minimum Scheme can be provided on request.

3.25 Where requested by you, we will provide details of how any cost apportionment factors have been calculated.

Interactive Connection Applications

3.26 'Interactive Connection Applications' arise where the Company receives two or more applications for connection which could individually make use of the same part of the Distribution System, but where there is insufficient spare capacity or other network constraints on the Company's Distribution System that will prevent both being connected. For connections with a requested capacity in excess of 1MVA, the Company will normally apply an interactive connection application process in order to prioritise the applications fairly. The Application Date (please refer to the Connection Process section above) will be used to sequence Connection Offers in time order such that the first Connection Offer will be made to the first applicant to reach the 'application' stage of the process, and so on. All parties will be notified in writing if their application is interactive, or becomes Interactive with others, and the validity period of any current Connection Offer will be reduced to thirty (30) days from the date of any such notification, where more than thirty (30) days is still outstanding.

Transitional arrangements

3.27 A POC Offer issued by us will include a Connection Charge calculated in accordance with our Connection Charging Methodology, which is current at the time of issue. If you accept our POC Offer and the connection work is completed within the prescribed periods set out in it, the POC Offer shall remain valid even if our Connection Charging Methodology should change, by approval of the Authority, in the interim period between acceptance of the POC Offer and completion of the connection work.

Section 4 – Information specific to us

Introduction

- 4.1 This Section sets out further information regarding obtaining a connection which is specific to us.

Connection Offer and POC Offer Validity Periods

- 4.2 The validity period of a Connection Offer or POC Offer is normally 90 calendar days unless after the issue of the Connection Offer or POC Offer the validity period is subsequently reduced as a result of the application becoming interactive in accordance with paragraph 2.21

Section 5 – Common Connection Charging Methodology

This Section sets out the Common Connection Charging Methodology that is implemented to ensure a consistent approach in the way your Connection Charge is calculated.

Minimum Scheme

- 5.1 The Minimum Scheme is the Scheme with the lowest overall capital cost (as estimated by us), solely to provide the Required Capacity. The Minimum Scheme will be subject to:
- accepted industry standards, including the requirements of the Distribution Code;
 - the status and configuration of the Relevant Section of Network (RSN);
 - the standard sizes and types of equipment currently used by us on our Distribution System which shall be reasonable in all the circumstances;
 - maintaining our ability to minimise regulatory penalties associated with the Interruptions Incentive Scheme and the Guaranteed Standards of Performance; and
 - where the Customer is an LDNO, maintaining the Customer's ability to minimise regulatory penalties associated with the Guaranteed Standards of Performance.

and shall be consistent with our statutory and licence obligations including the requirement to develop, maintain and operate an efficient, co-ordinated and economical electricity Distribution System.

- 5.2 We will make available our design policies and standards as appropriate.
- 5.3 Subject to paragraphs 5.4 and 5.7 below, we will calculate the Connection Charge based on the estimated costs of the Minimum Scheme.
- 5.4 In certain circumstances we may decide to design an Enhanced Scheme. This will include one or more of the following:
- additional assets not required as part of the Minimum Scheme;
 - assets of a larger capacity than required by the Minimum Scheme;
 - assets of a different specification than required by the Minimum Scheme.
- 5.5 If we decide to design an Enhanced Scheme, then, the Connection Charge that will apply will be the lower of the Connection Charge associated with the Minimum Scheme and the Connection Charge associated with the Enhanced Scheme.
- 5.6 The Connection Charge associated with the Enhanced Scheme will be calculated subject to the exclusion of costs of any additional assets not necessary for the provision of your connection.
- 5.7 We may recover the reasonable costs incurred, both direct and indirect, in providing a connection and may, where allowed by our Licence, apply a margin on some of those costs. The factors taken into account by us to calculate the Connection Charge will include, but are not limited to:
- industry standards governing the Distribution System;
 - the Required Capacity;

- available capacity of the existing Distribution System;
- whether any necessary extension or Reinforcement of the existing Distribution System is by underground cable or overhead lines;
- whether any diversionary work is required as a result of the development and the required disconnection of any assets;
- the length of cable or line required;
- type of ground requiring excavation, the type and extent of reinstatement necessary (including New Roads and Street Works Act requirements and any other relevant legislation), and the need for road, bridge crossings etc;
- any Electrical Plant and civil costs required, allowing for any civil works undertaken by you with our agreement;
- the requirement to work outside of normal working hours;
- the costs of undertaking the design;
- the costs of securing wayleaves/easements for plant, cables or lines including any consents;
- the costs of securing suitable substation sites including any necessary Land Rights;
- any overhead line surveys required;
- the costs of public enquiries and environmental impact studies;
- charges for any other costs associated with the work on Sites of Special Scientific Interest (SSSI), railway lines etc; and
- any variations in respect of the actual costs that were reasonably incurred as specified in the Connection Offer.

Cost Allocation

- 5.8 The costs to be charged to you as a Connection Charge may be split into three categories:-
- Costs for providing the connection which are to be paid in full by you (see paragraphs 5.10 to 5.15);
 - Costs for providing the connection which are to be apportioned between you and us (see paragraphs 5.16 to 5.28; and
 - Costs to be paid by you in respect of works that have previously been constructed or are committed and are used to provide the connection (see paragraph 5.29).
- 5.9 Some costs may be borne in full by us and will not be included in your Connection Charge (see paragraphs 5.30 to 5.32).

Costs to be paid in full by you

- 5.10 The costs of providing Extension Assets are charged in full to you.
- 5.11 Where you have requirements for additional security or the characteristics of your load requires us to install assets in excess of the Minimum Scheme then you will pay the costs in excess of the Minimum Scheme in full.
- 5.12 The costs of the future operation and maintenance of any additional assets requested by you (over and above those associated with the Minimum

Scheme) will be payable in full. This would normally be levied as a one-off charge representing the net present value of the future operation and maintenance costs and calculated as a percentage (specified in Section 6) of the additional capital cost of the Scheme. See Example 3 for an illustration of where you request additional security.

- 5.13 Work required to reconfigure the Distribution System to meet your requirements where no additional Network or Fault Level Capacity is made available shall be charged in full to you. See Example 8B.
- 5.14 Where the Extension Assets would normally require the extension of existing switchgear equipment and this is not possible, the cost of the full replacement of the switchgear (using the nearest standard size) will be charged to you, provided that there is no Reinforcement of the Distribution System (see paragraph 5.20).
- 5.15 For generation connections only, Reinforcement costs in excess of the high-cost project threshold of £200/kW shall be charged to you in full as a Connection Charge.

Costs to be apportioned between you and us

- 5.16 Reinforcement is defined as assets installed that add capacity (network or fault level) to the existing shared use Distribution System. The costs of Reinforcement shall be apportioned between you and us. The methods used to apportion the costs of Reinforcement are set out in paragraphs 5.23 – 5.28. There are five exceptions to this rule. Where an exception applies Reinforcement will be treated as Extension Assets and costs will not be apportioned. These exceptions are described below and the application of exceptions 1, 2, 4, and 5 is demonstrated in the Examples.
- 5.17 Exception 1: Where the Reinforcement is:
- down stream of the POC; and
 - over and above the Minimum Scheme; and
 - provided at our request; and
 - provided by connecting two points on the existing Distribution System; and
 - there is little or no prospect of the capacity created being required within the next five years,
- then the apportionment rules will not apply. You will pay the costs associated with the Minimum Scheme and we will pay the costs over and above the Minimum Scheme. See Example 2B.
- 5.18 Exception 2: Where the Reinforcement is in excess of the Minimum Scheme and is at your request, the Reinforcement will be treated as Extension Assets and the apportionment rules will not apply. The costs in excess of the Minimum Scheme will be borne in full by you (see paragraphs 5.11 and 5.12 above).
- 5.19 Exception 3: Where the Reinforcement is provided to accommodate a Temporary Connection the Reinforcement will be treated as Extension Assets and the apportionment rules will not apply. The costs associated with the Temporary Connection will be borne in full by you. Temporary Connections are defined as connections that are only required for a period of up to five years, but exclude connections to provide the initial connection to a

development, where the Reinforcement will subsequently be required for the permanent connection.

5.20 Exception 4: Where the replacement of switchgear results in an increase in fault level capacity and:

- that increase is solely as a result of the fault level rating of the standard switchgear equipment used by us being higher than that of the existing switchgear; and
- that increase in fault level capacity is not needed to accommodate your connection.

then, unless the switchgear adds network capacity and the Security CAF applies, the switchgear replacement will be treated as Extension Assets and the apportionment rules will not apply. You will pay the full cost of the switchgear replacement. See Example 7B.

5.21 Exception 5: Where the Reinforcement:

- is provided by connecting two points on the existing distribution system; and
- is providing connection is to a development with a number of Entry/ Exit Points,

then the additional network length (measured from suitable points close to the site boundaries which would allow for a clear demarcation of Contestable and Non-Contestable Work) required to provide connectivity within the development will be considered to be Extension Assets and the apportionment rules will not apply. You will pay the full cost of the additional network length. See Example 8A.

5.22 For avoidance of doubt, where the costs of Reinforcement are borne in full by you and any capacity created is used to accommodate new or increased connections within five years, the ECCR will apply (see paragraphs 5.35-5.38).

5.23 The costs of Reinforcement will be apportioned using one of two Cost Apportionment Factors (CAFs), dependent upon which factor is driving the requirement for Reinforcement:

- The 'Security CAF'; and
- The 'Fault Level CAF'.

5.24 The following definitions are used in the application of the CAFs.

| | |
|---|---|
| Existing Capacity | For existing Customers their Existing Capacity will be either:- a) the Maximum Capacity used in the calculation of their use of system charges; or b) for Customers who are not charged for use of system on the basis of their Maximum Capacity the lower of: <ul style="list-style-type: none"> • No. of phases x nominal phase-neutral voltage (kV) x fuse rating (A); and • The rating of the service equipment. |
| Fault Level Contribution from Connection | is the assessment of the Fault Level contribution from the equipment to be connected taking account of its impact at the appropriate point on the Distribution System. Where an existing Customer |

| | |
|--|--|
| | requests a change to a connection then the “Fault Level Contribution from Connection” is defined as the incremental increase in Fault Level caused by the Customer. |
| New Fault Level Capacity | is the Fault Level rating, following Reinforcement, of the equipment installed after taking account of any restrictions imposed by the local network Fault Level capacity. For the avoidance of doubt this rule will be used for all equipment types and voltages. |
| New Network Capacity | is the secure capacity of the Relevant Section of Network following Reinforcement. This is our assessment of the resultant capacity and will be considered in respect of thermal capacity, voltage drop and upstream restrictions and compliance with our relevant design, planning and security of supply policies. The equipment ratings to be used are the appropriate operational rating at the time of the most onerous operational conditions taking account of seasonal ratings and demand. |
| Relevant Section of Network (RSN) | is that part or parts of the Distribution System that can be used to supply you in both normal and abnormal running arrangements. There may be more than one RSN, e.g. at different voltage levels. |
| Required Capacity | is the Maximum Capacity agreed with the Customer. In the case of multiple connections (e.g. a housing development) it may be adjusted after consideration of the effects of diversity. Where an existing Customer requests an increase in capacity then it is the increase above their Existing Capacity. |

5.25 The ‘Security CAF’ is applied, where the costs are driven by either thermal capacity or voltage (or both) as assessed against the relevant standard. This rule determines the proportion of the Reinforcement costs that should be paid by you as detailed below.

$$\text{Security CAF} = \frac{\text{Required Capacity}}{\text{New Network Capacity}} \times 100\% \quad (\text{max } 100\%)$$

5.26 The ‘Fault Level CAF’ is applied, where the costs are driven by Fault Level restrictions. This rule determines the proportion of the Reinforcement costs that should be paid by you as detailed below.

$$\text{Fault Level CAF} = 3 \times \frac{\text{Fault Level Contribution from Connection}}{\text{New Fault Level Capacity}} \times 100\% \quad (\text{max } 100\%)$$

5.27 For clarity, where you require an augmentation to an existing connection, both the Security and Fault Level CAFs will be based on the increase in Required Capacity and increase in Fault Level Contribution from the connection respectively. Any related increases within the previous three year period will be taken into account in determining the increase in the Required Capacity or increase in the Fault Level Contribution from the connection to be applied within the CAF.

5.28 On some Schemes there may be interaction between the two rules. In such cases, the ‘Security’ CAF will be applied to costs that are driven by the security requirement. The ‘Fault Level CAF’ will be applied to costs that are driven by Fault Level requirements. See the Examples for illustrations on the application of the CAFs.

Recovery of costs for previous works

5.29 Where, in order to provide your connection;

- we propose to utilise existing Distribution System assets that were previously installed to provide a connection to another Customer, and
- the other Customer has paid us (either in part or in full) a Connection Charge for those assets

you may be required to make a payment towards them. The ECCR prescribes the circumstances where such payment is required. Charges for such works only apply where the new connection is provided within five years of the original Distribution System assets being provided.

Costs to be paid in full by us

5.30 We will fully fund Reinforcement carried out greater than one voltage level above the voltage at the POC to the existing Distribution System.

5.31 Where another LDNO with a distribution network that is connected to our Distribution System requires an increase in capacity to its distribution network, the voltage at the POC for assessing the one voltage rule will be:

- In the case of a new extension to the network of the other LDNO, the voltage of connection at which the Extension Assets will connect to the other LDNO’s network; or
- In the case of additional capacity required in respect of a Customer connected to the existing assets of the LDNO, the voltage at which the Customer connects to the LDNO’s network; or
- In the case of additional capacity required to meet general load growth on the LDNO’s network then the Reinforcement costs will be borne by us. The LDNO will be required to provide justification in such circumstances.

5.32 The table below illustrates the application of the one voltage rule in relation to Reinforcement. You will be required to contribute towards the cost of any Reinforcement provided at one voltage level above the POC, up to and including the cost of circuit breakers provided at that voltage.

| Voltage of Scheme Assets | Voltage at the POC | | | |
|--------------------------|--------------------|---------------------------------------|-------------------------------------|----------------|
| | LV (below 1000V) | HV (above 1kV but less than 22kV) | EHV (above 22kV but less than 72kV) | 132kV |
| 132kV Network | We fund | We fund ¹ | Apportioned | Apportioned |
| 132kV/ EHV Substation | We fund | EHV circuit breakers only Apportioned | Apportioned | Not applicable |

| | | | | |
|-----------------------------|---|----------------|----------------|----------------|
| EHV Network | We fund | Apportioned | Apportioned | Not applicable |
| 132kV/ HV Substation | HV circuit breakers only Apportioned | Apportioned | Not applicable | Not applicable |
| EHV/HV Substation | HV circuit breakers only Apportioned | Apportioned | Not applicable | Not applicable |
| HV Network | Apportioned | Apportioned | Not applicable | Not applicable |
| HV/ LV Substation | Apportioned | Not applicable | Not applicable | Not applicable |
| LV Network | Apportioned | Not applicable | Not applicable | Not applicable |

¹ Except where there is direct transformation from 132kV to HV when the costs are apportioned.

Recovered Equipment and Deferral of Asset Replacement

- 5.33 You will not receive any credit for the value of any equipment recovered by us as a result of the connection.
- 5.34 You will not receive any credit for the value of any deferral of asset renewal expenditure by us.

Rebates

- 5.35 For Distribution System assets where you have paid in full, then you may be entitled to a future rebate of charges should another Customer connect to those assets. These circumstances are detailed in the ECCR.
- 5.36 For Distribution System assets where you have paid in proportion to your Required Capacity, then you are not entitled to a future rebate of charges should another customer connect to those assets.
- 5.37 Your entitlement to receive payments under paragraph 5.35 only applies to connections made within five years from the first provision of the connection.
- 5.38 These provisions do not apply where we have adopted the assets from an ICP as we have not incurred the relevant expenses nor has an initial contributor made payment to us in accordance with Regulations 5 and 5(b) of the ECCR.

Speculative Developments

- 5.39 Developments which have one or more of the following characteristics may be considered as speculative:-
- their detailed electrical load requirements are not known;
 - the development is phased over a period of time and the timing of the phases is unclear;
 - the capacity requested caters for future expansion rather than the immediate requirements of (an) end user(s);

- the capacity requested caters for future speculative phases of a development rather than the initial phase(s) of the development; or
 - the infrastructure only is being provided, with no connections for end users requested.
- 5.40 Where we are asked to provide a connection to a speculative development then the cost of the work including any Reinforcement is charged in full and the CAFs do not apply. Additional charge to reflect ongoing operation, repair and maintenance costs may also be levied.
- 5.41 We may, at our sole discretion, allow capacity to be reserved on the infrastructure provided to service the speculative development on the commercial terms agreed between you and us in respect of the development.

Connection Alterations

- 5.42 Where you request an alteration to your connection arrangements, including a change in the supply voltage, the costs are charged in full to you. For the avoidance of doubt increases in the Required Capacity are dealt with in accordance with the previous Sections.

National Grid Electricity Transmission (NGET) Charges to us

- 5.43 We have an obligation under the CUSC to discuss certain requests for connection or changes in connection with NGET. Such requests are typically for large electrical demand or generation projects. Under certain circumstances, as determined by NGET, they may apply charges to assess the potential impact on the transmission system of a request or the combined effect of a number of requests and these will be included in the Connection Charge, or through a separate mechanism agreed between you and us.
- 5.44 Subsequent to such assessment NGET may also require works to be undertaken on the GB Transmission System as a condition of the connection being permitted. In the event of NGET applying charges for these works or where they require security in respect of the works, we will reflect such costs in our charges to you.

Land Rights

- 5.45 Where Land Rights are required from a third party, the cost of acquiring those rights will be included in either the Connection Charge to you or through a separate mechanism agreed between you and us.
- 5.46 If the Land Rights that we require cannot be obtained by negotiation, we may, following discussion with you, exercise our powers of compulsory purchase (Section 10 and Schedule 3 of the Act) or apply to the Secretary of State or the Scottish Government in Scotland for a 'necessary wayleave' (paragraphs 6-8 of Schedule 4 of the Act). If we do so, the costs that we incur, including those of the Lands Tribunal/ Lands Tribunal for Scotland (which determine issues of compensation) will be charged to you. The Lands Tribunal may award compensation to the landowner and/or anyone who holds an interest in the land and this will be included in the Connection Charge or through a separate mechanism agreed between you and us.

Unmetered Supplies

- 5.47 For some street lighting and other installations, we may allow items of equipment to be connected to our Distribution System without a meter. This is subject to the equipment having a low and predictable pattern of consumption and meeting the requirements of The Electricity (Unmetered Supply) Regulations 2001.
- 5.48 Where we agree that a meter is not required the provision of such a connection is dependent on the owner entering into an unmetered Connection Agreement and providing and maintaining an auditable inventory, in a format agreed with us, so that an accurate estimate of the consumption can be produced.
- 5.49 Where certain criteria are met the provision of services for unmetered connections may be made via a time-based connection service charge, e.g. Rent-a-Jointer Services. This is subject to us entering into a contract with you for the provision of such services.
- 5.50 You may elect to appoint an accredited ICP to carry out the Contestable Work for unmetered connections. The ICP will be allowed to carry out live jointing on low voltage, single phase, underground service cables more than one metre from the distributing main. Where you use an ICP a triangular arrangement must first be established:
- You will enter into an agreement with the ICP to carry out and complete the Contestable Work;
 - We will enter into an Adoption Agreement with you and/or your appointed agent as appropriate;
 - We will enter into an enabling agreement with the ICP to allow the ICP to work on the Distribution System (this may be the same document as the Adoption Agreement).

Capacity Ramping for LDNOs

- 5.51 For an LDNO the Required Capacity (expressed in kVA) is the Maximum Capacity to be provided at the boundary between the LDNO's distribution network and our Distribution System. This value will be agreed with us and stated in the Bilateral Connection Agreement for the relevant embedded network.
- 5.52 When a connection is provided to an LDNO the take-up of capacity may grow over a period of time as the site develops and individual customers are connected. In such circumstances the Bilateral Connection Agreement shall include a phased Required Capacity based on the Development Phase.
- 5.53 During the Development Phase a review may be undertaken annually on the anniversary of the Energisation of the embedded network. Any unused capacity identified in such review may be released for use by other customers and the Maximum Capacity reduced to an agreed level within the Bilateral Connection Agreement.
- 5.54 The Required Capacity agreed with us as being required at the end of the Development Phase shall be used to determine the Required Capacity for determination of the Cost Apportionment Factors where applicable.

- 5.55 Should additional capacity subsequently be required, the LDNO may incur additional Connection Charges for any Reinforcement based on the increase in capacity.

Disconnection and De-Energisation

- 5.56 If we either Disconnect or De-energise your Entry/ Exit Point
- at the request of your Supplier; or
 - due to a failure of your Supplier to comply with the terms of the DCUSA
- then the cost of such disconnection or De-energisation will be borne by your Supplier.
- 5.57 If we either Disconnect or De-energise your Entry/ Exit Point
- at your request; or
 - due to a failure by you to comply with the terms of your Connection Agreement,
- then the cost of such disconnection or De-energisation will be borne by you.
- 5.58 On termination of your Connection Agreement, we retain the right to remove our Electrical Plant and Electric Lines and charge you if we do so. Apparatus which is not cost effective for us to recover (e.g. Electric Lines laid underground) will normally be made safe and left at the Premises, but if you require us to remove them, the cost of removal will be payable by you. All such apparatus will remain our property unless otherwise agreed in writing.

Adoption Payments

- 5.59 Where we adopt assets installed by an ICP we will not make any adoption payment in respect of those assets.

Competition in Connection

- 5.60 Where you choose to have any Contestable Work undertaken by an ICP, we levy CIC Charges associated with the design approval, inspection and adoption of the Contestable Works as set out in Section 6 and Section 7.

Worked Examples Illustrating the Application of the Connection Charging Methodology

The following Examples are to illustrate the application of the Connection Charging Methodology and are not intended to provide an accurate estimate of the charges which a person would become liable in respect of the provision of a connection. The Examples do not necessarily represent the Minimum Scheme for a specific connection application.



The figures quoted in the Examples are illustrative. Section 7 of this statement provides our charges and indicative costs to undertake various activities.

The Examples illustrate where we undertake both the Contestable and Non-Contestable Work. These costs will include the determination of the POC and assessment and design costs, though these may not be explicitly identified in the Examples.

Where Contestable Work is undertaken by an ICP, we will apply CIC Charges for services associated with the Contestable Works which would cover activities including design approval, inspection and monitoring. The CIC Charges shown in the Examples are for illustration only. For the avoidance of doubt, in each Example, where an ICP undertakes the Contestable Work, our Connection Charge will include the cost of the Non-Contestable Work and the CIC Charges but exclude the cost of Contestable Work.


The Examples are generic and standard for all LDNOs. The actual designs are subject to our design policies.

Key to Illustrations

| | |
|---|-------------------------------|
| X | Circuit Breaker (any voltage) |
|  | Switch |
|  | Transformer |
|  | Joint on cable |
|  | High voltage ring main unit |
|  | Existing cable |
|  | Proposed cable |
|  | Normal Open Point (NOP) |
|  | Generator Customer |
|  | Demand Customer |
|  | Point of Connection (POC) |
|  | Sub Station |

Example 1: A new connection to a domestic premise

A Customer requests a LV single phase connection to a new house. The Premises can be connected to an existing LV main cable in the street.



The Connection Charge for this Scheme is calculated as follows:


Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--|------|---------------|-----------------------|
| Contestable Work | | | |
| 15m service cable, excavation in footpath for joint hole to Customer laid duct, backfill and termination | £700 | n/a | £700 |
| Non-Contestable Work | | | |
| Single service breach joint | £400 | n/a | £400 |
| | | | |
| Total Extension Asset Cost | | | £1,100 |
| CIC Charges | | | £100 |

Total Connection Charge = £1,100

Example 2A: New connections on a domestic housing development

A housing developer requests connections for 200 domestic Premises. The Required Capacity to supply the 200 homes is 250kVA. A new distribution substation will be established to provide the Required Capacity of the site. The Minimum Scheme requires the substation to be looped into the existing HV network.



The Connection Charge for this Scheme is calculated as follows:

Extension Assets:


| | Cost | Apportionment | Customer Contribution |
|---|-------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation 100m HV cable | £11,000 | n/a | £11,000 |
| 315kVA substation | £24,000 | n/a | £24,000 |
| LV mains, service cables and terminations | £170,000 | n/a | £170,000 |
| Non-Contestable Work | | | |
| Two HV cable joints | £2,000 | n/a | £2,000 |
| | | | |
| Total Extension Asset Cost | | | £207,000 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £207,000

Example 2B: New connections on a domestic housing development with interconnection.

This Example demonstrates the application of two of the exceptions to the apportionment rules, Exception 1 (paragraph 5.17) and Exception 2 (paragraph 5.18).

As in Example 2A, a housing developer requests connections for 200 domestic Premises. The Required Capacity to supply the 200 homes is 250kVA. A new distribution substation will be established to provide the Required Capacity of the site. The Minimum Scheme requires the substation to be looped into the existing HV network. However, in this Example there is an option to provide an additional LV cable to interconnect the distribution substation with the existing LV network. This option is over and above the Minimum Scheme.



Interconnecting into the existing LV network will increase the capacity of the existing Distribution System. Therefore, the assets that connect the HV and LV network would normally be considered to be Reinforcement. These assets (as shown on the diagram above) include the HV cable, the 315kVA substation and the interconnecting LV main. They exclude the LV mains and service cables from the 315kVA substation to the Customer's development. However, whether these assets are to be considered Reinforcement or Extension Assets depends upon who requested the LV interconnection and whether any capacity created is likely to be used. One of three scenarios will apply –

a) The LV interconnection is requested by the Customer (Exception 2).

In this case the Reinforcement is over and above the Minimum Scheme and requested by the Customer. Therefore, Exception 2 applies and all assets (including the interconnecting LV cable) will be treated as Extension Assets and their costs will be borne in full by the Customer. As the interconnecting LV main and associated LV joint are over and above the Minimum Scheme, a charge for their future operation and maintenance will be made.

The Connection Charge for this Scheme is calculated as follows:

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|-----------------|----------------------|------------------------------|
| Contestable Works | | | |
| Provision and installation 100m 11kV cable (from existing HV network to substation) | £11,000 | n/a | £11,000 |
| 315kVA substation | £24,000 | n/a | £24,000 |
| LV mains, service cables and terminations (from substation to the Customer's development) | £170,000 | n/a | £170,000 |
| Interconnecting LV Cable (from substation to existing LV network) | £10,000 | n/a | £10,000 |
| Non-Contestable Works | | | |
| Two HV cable joints | £2,000 | n/a | £2,000 |
| LV cable joint | £1000 | n/a | £1,000 |
| Difference between Minimum and the actual Scheme is £11,000. Operation & Maintenance @20%* of £11,000 | | n/a | £2,200 |
| | | | |
| Total Extension Asset Cost | £218,000 | | £220,200 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £220,200

*Note, the 20% Operation and Maintenance figure is illustrative.

- b) The LV interconnection is requested by us in order to create additional network capacity (No exception).

In this case, the assets connecting the existing HV and LV network add capacity to the existing network and none of the exceptions described in paragraphs 5.17-5.21 apply. Therefore they will be treated as Reinforcement. The costs of the Reinforcement assets that form part of the Minimum Scheme (the HV cable and associated HV joints; the 315kVA substation) will be apportioned. The interconnecting LV cable and associated LV joint are considered to be Reinforcement but, as they are over and above the Minimum Scheme and requested by us, the costs will be borne in full by us.

Reinforcement:

The RSN is that part or parts of the Distribution System that can be used to supply the Customer in both normal and abnormal running arrangements which, in this case, is the distribution substation and the HV Cables.

Security CAF calculation: the numerator in the CAF calculation is based upon the Required Capacity of the Customer, which is 250kVA. The denominator is based on the New Network Capacity following Reinforcement, which is 315kVA, i.e. the secure capacity of the distribution substation and HV cables.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---|----------------|-----------------------------|------------------------------|
| Non-Contestable Work | | | |
| Provision and installation 100m 11kV cable (from existing HV network to substation) | £11,000 | 250/315 =79.4% | £8,730 |
| 315 kVA substation | £24,000 | as above | £19,048 |
| Two HV cable joints | £2,000 | as above | £1,587 |
| Interconnecting LV Cable (from substation to existing LV network) | £10,000 | In excess of Minimum Scheme | £0 |
| LV Cable Joint | £1,000 | In excess of Minimum Scheme | £0 |
| Total Reinforcement Cost | £48,000 | | £29,365 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|-----------------|----------------------|------------------------------|
| Contestable Work | | | |
| LV mains, service cables and terminations (from the substation to the Customer's development) | £170,000 | n/a | £170,000 |
| | | | |
| Total Extension Asset Cost | £170,000 | | £170,000 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £29,365 + £170,000 = £199,365

- c) The LV interconnection is requested by us but there is little prospect of the capacity created being used (Exception 1).

In this case all the requirements of Exception 1 (paragraph 5.17) are met so the assets that connect the existing HV and LV Distribution System will be treated as Extension Assets and their costs will not be apportioned. The Customer will pay the costs associated with the Minimum Scheme in full. The interconnecting LV cable and associated LV joint as they are over and above the Minimum Scheme and requested by us, therefore the costs will be borne in full by us.

The Connection Charge for this Scheme is calculated as follows:

Extension Assets:


| | Cost | Apportionment | Customer Contribution |
|---|-----------------|-----------------------------|------------------------------|
| Contestable Works | | | |
| Provision and installation 100m 11kV cable (from existing HV network to substation) | £11,000 | n/a | £11,000 |
| 315 kVA substation | £24,000 | n/a | £24,000 |
| LV mains, service cables and terminations (from substation to the Customer's development) | £170,000 | n/a | £170,000 |
| Non-Contestable Works | | | |
| Two HV cable joints | £2,000 | n/a | £2,000 |
| Interconnecting LV Cable (from substation to existing LV network) | £10,000 | In excess of Minimum Scheme | £0 |
| LV Cable Joint | £1000 | In excess of Minimum Scheme | £0 |
| Total Extension Asset Cost | £218,000 | | £207,000 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £207,000

Example 3: A new connection to a commercial Premises

A Customer requests a new LV three phase 600kVA connection to commercial Premises. Four scenarios for connection are considered below. The Minimum Scheme will be dependent on the specific circumstances as set out in paragraphs 5.1 to 5.7.

- a) Where the Minimum Scheme is a new 800kVA substation teed onto the existing HV network.




The Connection Charge for this Scheme is calculated as follows:

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--|----------------|---------------|-----------------------|
| Contestable Work | | | |
| Provision and installation of 150m of HV cable | £30,000 | n/a | £30,000 |
| 800kVA substation | £17,000 | n/a | £17,000 |
| Provision and installation LV cabling | £4,400 | n/a | £4,400 |
| Metering panel | £800 | n/a | £800 |
| Non-Contestable Work | | | |
| HV joint to network | £1,900 | n/a | £1,900 |
| | | | |
| Total Extension Asset Cost | £54,100 | | £54,100 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £54,100

In each of the following scenarios the Customer is connected with a looped connection, as illustrated in the following diagram.



- b) The Minimum Scheme is as for scenario a) above but the Customer requests an enhanced connection arrangement where the substation is looped into existing HV network.

The Connection Charge for this Scheme is calculated as follows:

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|---------|---------------|-----------------------|
| Contestable Work | | | |
| Provision and installation of 300m of HV cable | £35,000 | n/a | £35,000 |
| 800kVA substation | £20,000 | n/a | £20,000 |
| Provision and installation LV cabling | £4,400 | n/a | £4,400 |
| Metering panel | £800 | n/a | £800 |
| Non-Contestable Work | | | |
| HV joints to network | £2,900 | n/a | £2,900 |
| | | | |
| Total Extension Asset Cost | £63,100 | | £63,100 |
| Difference between Minimum and the actual Scheme is £9,000. Operation & Maintenance @20%* of £9,000 | | | £1,800 |
| | | | |
| Total Extension Asset Cost | | | £64,900 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £64,900

*Note, the 20% Operation and Maintenance figure is illustrative.

- c) The Minimum Scheme is as for scenario a) above but we request an Enhanced Scheme where the substation is looped into the existing HV network.

The Connection Charge for this Scheme is calculated as follows:

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--|----------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation of 300m of HV cable | £35,000 | Minimum Scheme | £30,000 |
| 800kVA substation | £20,000 | Minimum Scheme | £17,000 |
| Provision and installation LV cabling | £4,400 | n/a | £4,400 |
| Metering panel | £800 | n/a | £800 |
| Non-Contestable Work | | | |
| HV joints to network | £2,900 | Minimum Scheme | £1,900 |
| | | | |
| Total Extension Asset Cost | £63,100 | | £54,100 |
| CIC Charges | | | £1,500 |

Total Connection Charge = £54,100

- d) The Minimum Scheme is a new 800kVA substation looped into existing HV network.

The Connection Charge for this Scheme is calculated as follows:

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|----------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation of 300m of HV cable looped to network, HV Ring Main Unit, 800kVA transformer | £35,000 | n/a | £35,000 |
| 800kVA substation | £20,000 | n/a | £20,000 |
| Provision and installation LV cabling | £4,400 | n/a | £4,400 |
| Metering panel | £800 | n/a | £800 |
| Non-Contestable Work | | | |
| HV joints to network | £2,900 | n/a | £2,900 |
| | | | |
| Total Extension Asset Cost | £63,100 | | £63,100 |
| CIC Charges | | | £1,500 |


Total Connection Charge = £63,100

Example 4: Additional load application for commercial Premises (requiring a new connection from the HV network)

A Customer requests to increase the Maximum Capacity of their existing LV connection from 200kVA to 850kVA; an increase of 650kVA (the Required Capacity).

As the Customer’s existing LV connection is unable to deliver the Required Capacity a new connection will be required from the local HV network. The Minimum Scheme is to overlay part of the nearest HV circuit (Feeder 2) which only has spare capacity of 200kVA. The Reinforcement to make the capacity available requires 1200m of existing HV cable to be overlaid with a larger capacity cable.

Following the Reinforcement the New Network Capacity will be 8000kVA. (i.e. after Reinforcement, in this particular case, the section of cable with the lowest rating in the ring represented by Feeder 1 and Feeder 2 is rated at 8000kVA).



Reinforcement:

The RSN is the two feeder ring comprising Feeder 1 and Feeder 2.

Security CAF calculation: As this request is from an existing customer the numerator in the CAF calculation is based upon the increment of capacity requested, i.e. 650kVA (850kVA – 200kVA). The denominator is based upon the New Network Capacity following the Reinforcement.

Fault Level CAF calculation: This Scheme does not have any significant Fault Level contribution to the existing shared use distribution network and the Fault Level CAF is therefore not applicable here.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---------------------------------|-----------------|----------------------------|------------------------------|
| Non Contestable Work | | | |
| Overlay 1200m of HV cable | £120,000 | 650/ 8000 X 100% = 8.1% | £9,750 |
| HV Jointing | £4,800 | As above | £390 |
| | | | |
| Total Reinforcement Cost | £124,800 | | £10,140 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|-------------------------------------|----------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation HV cable | £29,000 | n/a | £29,000 |
| 1000kVA substation | £20,000 | n/a | £20,000 |
| Termination of Customer's LV cables | £1,400 | n/a | £1,400 |
| LV Metering panel | £800 | n/a | £800 |
| Non-Contestable Work | | | |
| HV Jointing | £1,600 | n/a | £1,600 |
| | | | |
| Total Extension Asset Cost | £52,800 | | £52,800 |
| CIC Charges | | | £1,100 |


Total Connection Charge = £10,140 + £52,800 = £62,940

Example 5: Connection of a new embedded generator that requires Reinforcement involving Security and Fault Level CAFs.

A Customer requests a connection to a generator with a Required Capacity for export purposes of 3MVA. The Fault Level contribution at the primary substation from the generation connection is 10MVA.

The POC is to the existing HV network at point B and it is proposed to install 500m of HV underground cable from the POC to the Customer's installation.

The connection requires the Reinforcement of 500m of HV overhead line between points A and B and replacement of the existing 11 panel HV switchboard at the primary substation which will increase its fault level rating from 150MVA to 350MVA. However, this will be limited by the fault level rating of the local network of 250MVA.



Reinforcement:

The RSN is the HV network from the primary substation to Point B.

Security CAF calculation: the numerator in the CAF calculation is based upon the Required Capacity of the Customer, i.e. 3MVA. The denominator is based on the New Network Capacity following Reinforcement, which is 7.6MVA, i.e. after Reinforcement, in this particular case, the section of cable with the lowest rating.

Fault Level CAF calculation: The numerator in the CAF calculation is based upon the Fault Level contribution from the Customer's new generator connection, in this Example 10MVA. The denominator is based upon the New Fault Level Capacity, which is the lower of the Fault Level capacity of the new HV switchboard, 350MVA or of the local system, 250MVA in this Example.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|--|-----------------|--|------------------------------|
| Non Contestable Work | | | |
| Re-conductor of 500m of HV overhead line | £49,000 | $3/7.6 \times 100\% = 39.5\%$ Security CAF | £19,342 |
| Replacement of existing 11 panel 11kV switchgear | £540,000 | $3 \times (10/250) \times 100\% = 12.0\%$ Fault Level CAF | £64,800 |
| | | | |
| Total Reinforcement Cost | £589,000 | | £84,142 |


Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|----------------|----------------------|------------------------------|
| Contestable Work | | | |
| Installation of 500m HV cable | £47,000 | n/a | £47,000 |
| HV circuit breaker at Customer's substation | £10,000 | n/a | £10,000 |
| Non-Contestable Work | | | |
| HV pole top termination | £1,400 | n/a | £1,400 |
| Total Extension Asset Cost | £58,400 | | £58,400 |
| CIC Charges | | | £1,100 |

Total Connection Charge = £84,142 + £58,400 = £142,542

Example 6: Connection of Mixed Housing and Commercial Development

The Customer requests 18MVA for a new mixed housing & commercial development site which comprises of 7,000 plots and a mixture of small commercial Premises. The POC on the network will be at the two existing 33kV circuit breakers located at the 132/33kV substation approximately 600m from the site boundary. In order to accommodate the Required Capacity it will be necessary to reinforce the two 60MVA, 132/33kV, transformers with 90MVA transformers. It will then be necessary to extend the network and establish a 2 by 24MVA transformer 33/11kV substation on site with an extendable HV board in this new substation. The HV board will comprise of 2 incomer, 1 bus section and 8 outgoing circuit breakers. From this substation there will be 3km of HV cable required to supply 24 substations. From each of these 24 substations there will be associated LV cable and services as required.



Reinforcement:

The RSN for the Reinforcement is the existing 132/33kV substation

Security CAF calculation: the numerator in the CAF calculation is based upon the Required Capacity of the Customer, i.e. 18MVA. The denominator is based on the New Network Capacity following Reinforcement, i.e. 90MVA.

Fault Level CAF calculation: This Scheme does not have any significant Fault Level contribution to the existing shared use distribution network and Fault Level CAF is therefore not applicable here.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---|-------------|----------------------|------------------------------|
| Non Contestable Work | | | |
| Replace two 60MVA, 132/33kV transformers with two 90MVA transformers. | £1,500,000 | 18/90 X 100% = 20.0% | £300,000 |
| | | | |
| Total Reinforcement Cost | | | £300,000 |


Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|-------------------|----------------------|------------------------------|
| Contestable Work | | | |
| 600m of 2 by 33kV cable | £180,000 | n/a | £180,000 |
| 3000m of HV circuits, 24 HV/LV substations, LV cable and services | £7,000,000 | n/a | £7,000,000 |
| 2 by 24MVA transformer substation | £2,000,000 | n/a | £2,000,000 |
| Non-Contestable Work | | | |
| Terminate two 33kV cables on to two existing 33kV circuit breakers. | £25,000 | n/a | £25,000 |
| Total Extension Asset Cost | £9,205,000 | | £9,205,000 |
| CIC Charges | | | £15,000 |

Total Connection Charge = £9,205,000 + £300,000 = £9,505,000

Example 7A: New 3MVA Generation Connection, Fault Level Triggered Reinforcement

A Customer wishes to connect a new generator with a Required Capacity for export purposes of 3MVA. The connection of the generator requires the installation of 500m of 11kV cable and 1500m of overhead line between a new circuit breaker, added to the 11kV extensible switchgear panel at an existing primary substation and a new substation at the Customer's Premises. The 24MVA Fault Level contribution from the generator necessitates Reinforcement works to replace the 11kV switchgear at the existing primary substation with switchgear of a higher fault level rating.



Reinforcement:

Fault Level CAF calculation: The numerator in the CAF calculation is based upon the Fault Level contribution from the Customer's new generator connection, in this Example 24MVA. The denominator is based upon the New Fault Level Capacity, in this Example the Fault Level capacity of the new 11kV switchboard, 315MVA.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|--|-----------------|---|------------------------------|
| Non Contestable Work | | | |
| Replacement HV switchboard (excluding Customer's sole use circuit breaker) | £450,000 | $3 \times (24/315) \times 100\% = 22.9\%$ | £102,857 |
| Total Reinforcement Cost | £450,000 | | £102,857 |

Extension Assets:


| | Cost | Apportionment | Customer Contribution |
|---|-------------|----------------------|------------------------------|
| Non-Contestable Work | | | |
| HV circuit breaker at primary substation | £25,000 | n/a | £25,000 |
| Contestable Work | | | |
| Installation of a 500m HV cable | £40,000 | n/a | £40,000 |
| Installation of a 1500m HV overhead line | £35,000 | n/a | £35,000 |
| HV circuit breaker at Customer substation | £25,000 | n/a | £25,000 |
| | | | |
| Total Extension Asset Cost | £100,000 | | £125,000 |
| CIC Charges | | | £1,100 |

Total Connection Charge = £102,857 + £125,000 = £227,857

Example 7B: New 3MVA Generation Connection, Switchgear Extension Not Possible

This example demonstrates the application of Exception 4 (paragraph 5.20).

A Customer requests to connect a new generator with a Required Capacity for export purposes of 3MVA. The connection of the generator requires the installation of the works as provided in Example 7A above. In this scenario, however, there is no Fault Level issue but, as the connection cannot be facilitated by an extension of the existing switchgear equipment in our primary substation, a full replacement of the existing switchgear installation is required. As no capacity is added to the existing shared use distribution network, the Customer will be required to fund the full cost of the switchgear installation replacement.



The existing switchgear had fault level rating of 250MVA. The company no longer uses switchgear with a fault level rating of 250MVA, so uses the closest equivalent switchgear used by it as standard, which has a slightly higher rating. Whilst the replacement switchgear increases the fault level capacity and could be considered Reinforcement, in this case this is due solely to the fault level rating of the standard equipment used by the company being higher than the fault level rating of the existing switchgear. The increase in fault level capacity is not required to connect the customer. Therefore, Exception 4 (Paragraph 5.20) applies and the switchgear will be considered to be Extension Assets and its costs will be charged in full to the customer.

The Connection Charge for this Scheme is calculated as follows:

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|---|-------------|----------------------|------------------------------|
| Contestable Work | | | |
| Installation of a 500m HV cable | £40,000 | n/a | £40,000 |
| Installation of a 1500m HV overhead line | £35,000 | n/a | £35,000 |
| HV circuit breaker at Customer substation | £25,000 | n/a | £25,000 |
| Non-Contestable Work | | | |
| Replacement 11kV switchboard | 450,000 | n/a | 450,000 |

| | | | |
|-------------------------------------|----------|-----|-----------------|
| New Extension Asset circuit breaker | £25,000 | n/a | £25,000 |
| | | | |
| Total Extension Asset Cost | £575,000 | | £575,000 |
| CIC Charges | | | £1,100 |


Total Connection Charge = £575,000

Example 8A: Connection of housing development with network Reinforcement

A new housing development has a Required Capacity of 2MVA to serve 900 plots. The local 11kV feeder has a network capacity of 7.7MVA based upon the limitation of the existing 400 Amp circuit breakers at Primary Substation A. The existing load on the circuit is 7.6MVA. It is therefore not possible to connect the new load to this circuit without Reinforcement works. To reinforce the circuit it is proposed to install a new circuit breaker at Primary Substation B and install a new 11kV feeder (also rated at 7.7MVA) to the local 11kV circuit. The new 11kV feeder is used to split the existing circuit from a two to a three feeder network. The newly installed cable between point A and B is 1300m long. The newly installed cable to connect the development from the POC is 1200m.

This Reinforcement will allow a POC to be taken from the local 11kV circuit to supply the new development. Three 800kVA distribution substations are established onsite. The above work represents the Minimum Scheme to provide services to the new site.

The figure below shows the proposed Reinforcement and POC to the 11kV network:



Reinforcement:

The RSN for the Reinforcement

For the Reinforcement CAF the RSN is considered to be the three feeder 11kV network comprising the two feeders from Primary Substation A and the new feeder from Primary Substation B as this new feeder is capable of feeding either of the existing circuits. The numerator in the CAF calculation is based upon the Required Capacity of the new development, i.e. 2MVA. In this case, the New Network Capacity (under N -1 conditions) following the Reinforcement works is equal to $(3 - 1) \times 7.7\text{MVA} = 15.4\text{MVA}$

Fault Level CAF calculation: This Scheme does not have any significant Fault Level contribution to the existing shared use distribution network and Fault Level CAF is therefore not applicable here.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|--|-----------------|--------------------------------|-----------------------|
| Non Contestable Work | | | |
| 1300m of 11kV Cable | £130,000 | $2/15.4 \times 100\% = 13.0\%$ | £16,883 |
| 11kV Circuit Breaker at Primary Substation B | £45,000 | As above | £5,844 |
| 11kV jointing at Point B | £3,000 | As above | £390 |
| | | | |
| Total Reinforcement Cost | £178,000 | | £23,117 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--------------------------------------|-----------------|---------------|-----------------------|
| Contestable Work | | | |
| 1200m of 11kV Cable | £120,000 | n/a | £120,000 |
| 3 by 800kVA distribution substations | £150,000 | n/a | £150,000 |
| On site LV mains and services | £330,000 | n/a | £330,000 |
| | | | |
| Non-Contestable Work | | | |
| 2 by 11kV closing joints | £5,000 | n/a | £5,000 |
| | | | |
| Total Extension Asset Cost | £605,000 | | £605,000 |
| CIC Charges | | | £3,500 |

Total Connection Charge = £23,117 + £605, 000 = £628,117

Reinforcement:

The RSN for the Reinforcement

The RSN is considered to be the three feeder 11kV network comprising the two feeders from Primary Substation A and the new feeder from Primary Substation B as any of these can be used to supply the Customer in normal and outage conditions. As in the above example the numerator in the CAF calculation is based upon the Required Capacity of the new development, i.e. 2MVA. In this case, however the work to provide the connection will increase the capacity of the existing shared use Distribution System from 7.7MVA to 15.4MVA. The New Network Capacity (under N -1 conditions) following the Reinforcement works is equal to $(3 - 1) \times 7.7\text{MVA} = 15.4\text{MVA}$

Fault Level CAF calculation: This Scheme does not have any significant Fault Level contribution to the existing shared use Distribution System and Fault Level CAF is therefore not applicable here.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---|-----------------|--------------------------------|-----------------------|
| Non Contestable Works | | | |
| 1 new 11kV Circuit Breaker tailed out from primary substation A | £45,000 | $2/15.4 \times 100\% = 13.0\%$ | £5,844 |
| 2 by 11kV closing joints | £5,000 | As above | £649 |
| 700m of 11kV cable from primary A to site | £70,000 | As above | £9,091 |
| 600m of 11kV cable from POC B to site | £60,000 | As above | £7,792 |
| | | | |
| Total Reinforcement Cost | £180,000 | | £23,376 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|-----------------------------------|-----------------|---------------|-----------------------|
| Contestable Works | | | |
| 600m of 11kV cable on site | £60,000 | n/a | £60,000 |
| 3 by 800KVA unit Substation | £150,000 | n/a | £150,000 |
| On site LV mains and services | £330,000 | n/a | £330,000 |
| | | | |
| Non-Contestable Work | | | |
| 2 by 11kV cable box terminations | £2,000 | n/a | £2,000 |
| | | | |
| Total Extension Asset Cost | £542,000 | | £542,000 |


| | | | |
|--------------------|--|--|--------|
| CIC Charges | | | £3,500 |
|--------------------|--|--|--------|

Total Connection Charge = £23,376 + £542, 000 = £565,376

Example 9: Minimum Scheme

A Customer requests a new 100kVA connection. There is sufficient spare capacity on the adjacent LV main but the existing 300kVA transformer at the local 11kV/LV substation is fully loaded.

- a) The Minimum Scheme is to provide a new service cable and to replace the 300kVA transformer at the local substation with a 500kVA transformer.



Reinforcement:

The RSN for the Reinforcement is the HV/LV transformer

Security CAF calculation: the numerator in the CAF calculation is based upon the Required Capacity of the Customer, i.e. 100kVA. The denominator is based on the New Network Capacity following Reinforcement, i.e. 500kVA.

Fault Level CAF calculation: This scheme does not have any significant Fault Level contribution to the existing shared use distribution network and Fault Level CAF is therefore not applicable here.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:


| | Cost | Apportionment | Customer Contribution |
|---------------------------------|----------------|---------------------------------|-----------------------|
| Non Contestable Work | | | |
| Replacement 500kVA transformer | £10,000 | $100/500 \times 100\% = 20.0\%$ | £2,000 |
| Total Reinforcement Cost | £10,000 | | £2,000 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--|---------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation of LV service cable | £1,500 | n/a | £1,500 |
| | | | |
| Non-Contestable Work | | | |
| LV joints to network | £500 | n/a | £500 |
| | | | |
| Total Extension Asset Cost | £2,000 | | £2,000 |
| CIC Charges | | | £200 |

Total Connection Charge = £2,000 + £2,000 = £4,000

- b) However the DNO wishes to carry out an Enhanced Scheme to install a 1000kVA transformer at the local substation and install a new LV main that will connect to and pick up load from an adjacent LV network.



The RSN for the Reinforcement is the HV/LV transformer

Security CAF calculation: the numerator in the CAF calculation is based upon the Required Capacity of the Customer, i.e. 100kVA. The denominator is based on the New Network Capacity following Reinforcement, i.e. 1000kVA.

Fault Level CAF calculation: This scheme does not have any significant Fault Level contribution to the existing shared use distribution network and Fault Level CAF is therefore not applicable here.

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---------------------------------|-------------|-------------------------|------------------------------|
| Non Contestable Work | | | |
| Replacement 1000kVA transformer | £15,000 | 100/1000 x 100% = 10.0% | £1,500 |
| | | | |
| Total Reinforcement Cost | £15,000 | | £1,500 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--|-------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation of LV service cable | £1,500 | n/a | £1,500 |
| | | | |
| Non-Contestable Work | | | |
| LV joints to network | £500 | n/a | £500 |
| | | | |
| Total Extension Asset Cost | £2,000 | | £2,000 |
| CIC Charges | | | £200 |

Total Connection Charge = £1,500 + £2,000 = £3,500

The cost of the new LV mains will be met by us and does not form part of the Connection Charge.

- c) In this instance the Connection Charge resulting from the Enhanced Scheme is lower than that resulting from the Minimum Scheme and the Customer would benefit from the lower Connection Charge and pay £3,500 (paragraph 5.5 refers).

If, however under the proposed DNO Scheme the transformer cost was £25,000 then the resultant Connection Charge would be considered as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---------------------------------|-------------|-------------------------|------------------------------|
| Non Contestable Work | | | |
| Replacement 1000kVA transformer | £25,000 | 100/1000 x 100% = 10.0% | £2,500 |
| | | | |
| Total Reinforcement Cost | £25,000 | | £2,500 |


Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|--|-------------|----------------------|------------------------------|
| Contestable Work | | | |
| Provision and installation of LV service cable | £1,500 | n/a | £1,500 |
| | | | |
| Non-Contestable Work | | | |
| LV joints to network | £500 | n/a | £500 |
| | | | |
| Total Extension Asset Cost | £2,000 | | £2,000 |
| CIC Charges | | | £200 |

Total Connection Charge = £2,500 + £2,000 = £4,500 but in this instance the Customer contribution will be capped at the contribution that would have been due under the Minimum Scheme, i.e. £4,000 (paragraph 5.5 refers).

Example 10: A new connection application for commercial Premises on a meshed 11kV distribution system requiring Reinforcement.

A Customer requests a new connection to a commercial premise requiring a 4MVA HV metered connection. The local 11kV network is of a meshed design whereby the 11kV network is supplied from single 33/11kV primary transformers via 33kV radial feeds as shown below.



The existing network consists of four 10MVA primary transformer substations and associated 11kV switchgear. A new connection of 4MVA has been requested in the vicinity of F2 from Primary A.

The existing relevant primary transformer group is loaded to its secure capacity so the primary transformer group will require Reinforcement to enable the new connection to progress.

To provide the Required Capacity, the 11kV network will be reinforced by the installation of a new primary substation connected to the nearest 33kV circuit. The new primary substation (Primary E) will contain a 10MVA transformer, associated 11kV switchgear and a new 11kV (7.7 MVA) cable installed to interconnect into the existing 11kV network (from F2 at Primary A to F2 at Primary C).

Reinforcement:

Security CAF calculation: In this example there are two different security CAFs applied. This is because the RSN is different when considering the new network capacity in respect of different elements of the Reinforcement works.

The RSN for the Reinforcement comprising the 11kV Cable Works:

For the 11kV cable assets the RSN is considered to be the three feeder 11kV network from Primary A (Feeder 2), Primary C (Feeder 2) and Primary E (Feeder 1). In this case the New Network Capacity (under N -1 conditions) following the Reinforcement works is equal to

$$(3 - 1) \times 7.7\text{MVA} = 15.4\text{MVA}$$

This is due to the fact that following the Reinforcement work both of the existing circuits; Primary A, Feeder 2 and Primary C, Feeder 2 can be loaded to their full capacity and will have the newly installed clean feeder from Primary E to act as a back feed to meet the requirements of P2/6.

The security CAF for these assets will therefore be $4/15.4 \times 100\% = 26.0\%$

The RSN for the Reinforcement comprising the Primary substation assets:

In this instance the RSN is the three primary transformers (Primary A, C and E) within the group that can be used to supply the customer in normal and abnormal conditions. The New Network Capacity of this RSN (under N -1 conditions) following the Reinforcement works is equal to 17.7MVA. (10MVA from either Primary A or Primary C and 7.7MVA from Primary E which is limited by the single 11kV cable connected to it.

The security CAF for these assets will therefore be $4/17.7 \times 100\% = 22.6\%$

Fault Level CAF calculation: This Scheme does not have any significant Fault Level contribution to the existing shared use distribution network and Fault Level CAF is therefore not applicable here.

The Connection Charge for this Scheme is calculated as follows:

Reinforcement:

| | Cost | Apportionment | Customer Contribution |
|---|-------------------|--------------------------------|------------------------------|
| Non Contestable Works | | | |
| 500m 11kV cable from new primary substation E | £50,000 | $4/15.4 \times 100\% = 26.0\%$ | £12,987 |
| 1 by 11kV closing joints | £4,000 | As above | £1,039 |
| 11kV switchgear at new Primary E | £80,000 | $4/17.7 \times 100\% = 22.6\%$ | £18,079 |
| Primary transformer | £600,000 | As above | £135,593 |
| 2.5km of 33kV cable installation | £500,000 | As above | £112,994 |
| 33kV Circuit Breaker | £70,000 | As above | £15,819 |
| 33kV Terminations | £10,000 | As above | £2,260 |
| | | | |
| Total Reinforcement Cost | £1,314,000 | | £298,771 |

Extension Assets:

| | Cost | Apportionment | Customer Contribution |
|-----------------------------------|-----------------|----------------------|------------------------------|
| Contestable Work | | | |
| HV ring main unit | £20,000 | n/a | £20,000 |
| HV metering unit | £10,000 | n/a | £10,000 |
| 500m of 11kV cable | £100,000 | n/a | £100,000 |
| | | | |
| Non-Contestable Work | | | |
| 2 by 11kV closing joints | £5,000 | n/a | £5,000 |
| | | | |
| Total Extension Asset Cost | £135,000 | | £135,000 |
| | | | |
| CIC Charges | | | £3,500 |

Total Customer Contribution = £298,771 + £135,000 = £433,771

Section 6 – Our Specific Connection Charging Methodology

Introduction

- 6.1 This Section sets out Our Specific Connection Charging Methodology.
- 6.2 Any changes to this Section must be in accordance with the provisions set out in Condition 13 of the Licence.

Payment Terms

- 6.3 We normally require payment in full and in advance. However, if major works are to be carried out over an extended period of time, the Company may agree to payment being made in instalments; each instalment being paid before the next phase of the works has begun. Payment in advance is required for all of the following charge elements including Budget Estimate, Feasibility Study, Construction, Competition in Connection Charges, Other Charges and for Land Rights. Charges for Assessment & Design are to be paid on acceptance of any Connection Offer, or POC Offer as applicable.
- 6.4 Where a single customer requests numerous small value connections on an ongoing basis and where we believe there is minimal possibility of payment default, we may agree to payment in arrears. This typically relates to unmetered street lighting connections.

Competition in Connections

Non-Contestable Work

- 6.5 The following works in respect of the existing Distribution System are deemed to be Non-Contestable:
- Processing your application and Distribution System planning for the connection;
 - Deciding upon the POC to the Distribution System;
 - Connection of the Extension Assets or diverted assets to the Distribution System and their Energisation (An accredited ICP may, with our prior agreement, connect Extension Assets or diverted assets where the connection is made at LV by live jointing to a radial underground cable section of the Distribution System. Details of the

- areas not covered by the radial network can be found on our website);
- Design, planning and specification of any works for Reinforcement of our Distribution System;
 - Carrying out of any works for Reinforcement of our Distribution System where the conditions for such activity being Contestable Work are not met. Reinforcement (other than design, and specification) and diversionary works may be contested when associated with the provision of a connection and subject to the circumstances described in paragraphs 6.11- 6.13);
 - Design, planning, specification and carrying out of any works for diversion of the Distribution System where the conditions for such activity being Contestable Work are not met (the design of the diversionary works may be contested when associated with the provision of a connection and subject to the circumstances described in paragraphs 6.11-6.13); and
 - Removal of existing Electrical Plant and Electric Lines.

6.6 The following works in respect of the Contestable Work are deemed to be Non-Contestable:

- Specification of design and installation criteria and materials to be used for Contestable Works;
- Concluding any Land Rights and other consents that we require;
- Approval of the ICP's design;
- Operational activity associated with the connection of Extension Assets or diverted assets to the Distribution System;
- Operation, repair and maintenance of the Electrical Plant and the Electric Lines following adoption by us; and
- Inspection, monitoring and testing of any Contestable Work.

Contestable Work

6.7 In contrast, the following work may, at your discretion, be carried out in its entirety either by us or by an ICP, in accordance with the approved design and specification:

- Design of the Contestable Work;
- The procurement and provision of equipment and materials to our current specification for the Contestable Work;
- Trenching and other preparation of the site, including the circuit routes between the development and the POC;
- Construction of the Contestable Work;

- Connection of Extension Assets to the Distribution System and their Energisation where the connection is made at LV by live jointing to a radial underground cable section of the Distribution system;
 - Recording of work done and of the location of cable routes and other equipment on site or elsewhere (where those assets are installed by the ICP), and the provision of this information to us;
 - Reinstatement (both temporary, if appropriate, and permanent); and
 - Making provision for the installation of metering equipment.
 - Under certain circumstances and at our sole discretion, we may agree with you to undertake part of the Contestable Work whilst we carry out the remainder where it is practical to do so.
- 6.8 The Contestable design element must comply with the appropriate part of Engineering Recommendation G81 and any of our specific requirements (see 6.10). Following receipt of the design of the Contestable Work, we shall either provide confirmation of approval or explanation for rejection. Such approval shall not be unreasonably withheld. A charge will be made for the approval of any design work undertaken by an ICP. A table showing charges for providing design approval is given in paragraph 7.15. Information regarding these charges will be included within the POC Offer.
- 6.9 We may, on occasion, request the ICP to include additional features in the design. Such request shall be made in writing and as soon as is reasonably practicable. Where the ICP accepts this request we will meet the agreed additional cost.
- 6.10 The specification for design, materials, installation and recording, is governed by Engineering Recommendation G81, a seven part national framework document administered by the Energy Networks Association that is designed to be supplemented by our specific appendices. Any ICP carrying out such Contestable Work must comply with the specification. The seven parts comprise:
- For green field and brown field housing estates:
- Part 1: Framework for Design and Planning
 - Part 2: Framework for Materials Specification
 - Part 3: Framework for Installation and Records
- For industrial and commercial connections:
- Part 4: Framework for Design and Planning
 - Part 5: Framework for Materials Specification
 - Part 6: Framework for Installation and Records

All of the above must be read in conjunction with our corresponding suite of Appendices that supplement Engineering Recommendation G81.

For diversionary and Reinforcement works:

Part 7: Framework for contestable diversionary and Reinforcement underground and overhead works not exceeding 33kV and HV/LV distribution substations.

These documents are available to view on our website at www.ukpowernetworks.co.uk

Contestable Reinforcement and Diversionary Work

6.11 Certain types of Reinforcement and diversionary work may also be carried out by suitably accredited ICPs for adoption by us. The scope of such work is limited to Reinforcement and diversionary works, associated with a connection, which:

- are new works that are physically and electrically separate from our existing Distribution System;
- do not require access to our existing operational areas;
- are fully funded by the single third party who is seeking the connection; and
- are restricted to works to install overhead lines and underground cables at voltage levels not exceeding 33kV and works to install HV/LV distribution substations. The design of Reinforcement works can require a large volume of information about the Distribution System. The level and complexity of information that would need to be made available to allow the ICP to carry out such design works is likely to outweigh the benefits of including design work within the scope of contestability. The design of connection Reinforcement therefore remains Non-contestable.

A suitably accredited ICP may also carry out the connection of diverted assets to the Distribution System and their Energisation where the connection is made at LV by live jointing to a radial underground cable section of the Distribution System.

6.12 For operational reasons, and to enable us to comply with our obligations under the Act and the Licence, there will be site specific circumstances where the works referred to in this Section are deemed Non-Contestable.

6.13 The design of the majority of diversion projects associated with connection projects is likely to be less complex than the design of Reinforcement Schemes. The design of diversionary works can be contestable for overhead lines and underground cables not exceeding 33kV and for HV/LV distribution substations.

The dismantlement and disposal of our existing assets remains Non-Contestable because it would require access to our existing assets and/or operational areas.

Table of Contestable/Non-Contestable Work

6.14 The following table summarises elements of the work as either Contestable or Non-Contestable and the types of company that can complete the works.

| Ref | Activity | Contestable(C)/ Non-Contestable (N) | Us | ICP | Applicant or Developer |
|-----|---|--|-----|-----|---------------------------|
| 1 | Determine POC to Distribution System | N | Yes | No | No |
| 2 | Design of Extension Assets | C | Yes | Yes | No |
| 3 | Design upstream Reinforcement works associated with new connections. | N | Yes | No | No |
| 4 | Design diversionary works associated with new connections | C | Yes | Yes | No |
| 5 | Design approval | N | Yes | No | No |
| 6 | Plant and materials specifications | N | Yes | No | No |
| 7 | Procure materials for own works | C | Yes | Yes | No |
| 8 | Land Rights negotiations with third party landowners | C | Yes | Yes | Yes |
| 9 | Produce wayleave/easement documentation and enter into agreements with third party landowners | N | Yes | No | No |

| | | | | | |
|----|--|---|-----|------------------|-----|
| 10 | Trench excavation and duct installation – on site | C | Yes | Yes | Yes |
| 11 | Trench excavation and duct installation – on public highway | C | Yes | Yes | No |
| 12 | Construction of substation buildings and other civil works – on site | C | Yes | Yes | Yes |
| 13 | Cable laying for own works | C | Yes | Yes | No |
| 14 | Substation plant installation for own works | C | Yes | Yes | No |
| 15 | Excavation for jointing bay – on site | C | Yes | Yes | Yes |
| 16 | Excavation for own works jointing bay – public highway | C | Yes | Yes | No |
| 17 | Jointing (dead) of cables within Extension Assets | C | Yes | Yes | No |
| 18 | Jointing (live) to connect Contestable Works to the LV underground Distribution System (closing joints) ¹ | C | Yes | Yes | No |
| 19 | Excavation for joints to connect Contestable Works to Distribution System (closing joints) | C | Yes | Yes | No |
| 20 | Live LV jointing on newly adopted New Extension Assets ¹ | C | Yes | Yes | No |
| 21 | Reinforcement/diversionary work on the existing Distribution System | N | Yes | No ² | No |
| 22 | Quality assurance inspections | N | Yes | No | No |
| 23 | Testing of Extension Assets installed by ICP | C | Yes | Yes | No |
| 24 | Commissioning and connection of Extension Assets to the Distribution System | N | Yes | No | No |
| 25 | Recording of installed assets | C | Yes | Yes ³ | No |
| 26 | Operations, repairs and maintenance | N | Yes | No | No |

¹ Live LV jointing of underground cables may be carried out on radial networks by a suitably accredited ICP subject to our prior agreement

² Sole funded Reinforcement and diversionary works associated with the new connection carried out independently of the existing Distribution System will be treated as Contestable Work.

³ Only for Contestable Works installed by the ICP

Inspection and Monitoring

6.15 We will inspect and monitor some of the Contestable Work provided by the appointed ICP. The number of visits required will be determined according to the actual connection proposals and the inspection regime shown below. Information regarding inspections and the associated charges will be specified within the POC Offer.

6.16 Charges for inspection and monitoring visits will be made in accordance with Section 7, paragraph 7.53 of this document. The Company operates a five level audit and inspection policy from ‘entry level’ through to ‘steady state’

depending on the volume of works undertaken and level competence established from previous audit and inspection.

- 6.17 Charges for pre-connection tests, post-connection tests and any associated operational work will be included within the charges made in accordance with Section 7, paragraph 7.49.
- 6.18 Charges for all costs associated with inspection failure and re-tests will be made in accordance with the terms of the agreement we enter into with you,

Factors influencing Competition in Connection (CIC) Charges

6.19 Illustrative costs for Competition in Connection (CIC) Charges are shown in Section 7. Such illustrative charges reflect normal cost situations. The actual charges associated with specific projects will be based on our estimate of the level of the work required. The factors which influence the actual level of charges include:

- The amount of network analysis required to determine the optimum means of providing connections. The amount of network analysis undertaken would be influenced by, amongst other factors, the number of connections and connection capacity requested by the applicant, characteristics of the load to be connected and the capacity of the existing Distribution System.
- The level of management and job scheduling required for the connection project. The management and job scheduling costs associated with projects that are completed over a long timescale would tend to be higher than those costs associated with projects that are completed over a short timescale.
- The number and complexity of Land Rights required. Some technically simple connections, such as the installation of an LV underground cable, could require more than one wayleave or consent.

Projects

6.20 Where the Company has reason to believe that an application for connection forms part of a larger project then, the Company will use the aggregate capacity of the projects to determine the appropriate Connection Charge.

Use of the Connection

6.21 Where within a five year period from the date of connection, the actual demand or actual fault level contribution is found to be in excess of the values considered within the original application, the Company will recalculate the Connection Charge and apply retrospective charges to the applicant as appropriate.

Capitalised Operation and Maintenance Charges

6.22 Where capitalised operation and maintenance charges apply the charges are normally derived from taking the estimated cost of the additional Electric

Plant and/or Electric Lines required for the connection multiplied by a discounted maintenance rate incorporating the cost of capital agreed with Ofgem and the assumed life of the connection, and is normally expressed as a percentage of the initial capital value of that apparatus. The assumed life will normally be based on a 20 year term; however, where the Company has grounds to believe that this is not appropriate, either from your stated methods of operation or the Company's own technical knowledge, the Company will, at its own discretion, apply a different duration. Where the Company assumes a different duration, this will be identified to the relevant customer. At the time of publication of this document, this percentage is currently set at 18%, but may change as a result of periodic review. Capitalised operation and maintenance charges will be applied regardless of the party that is to carry out the work.

Charges for Assessment and Design

6.23 Charges for Assessment and Design are applied by way of a standard charge based on the type, voltage and maximum required capacity of the connection, as indicated in section 7C, 7D and 7E of this document. Where the applicant changes its requirements or requests multiple quotes in respect of the same or a similar connection to the premises, additional Assessment and Design work, not covered in the standard charge, may be required to update the original design. Where this is the case, the customer's charge in respect of Assessment and Design will be equal to the standard charge associated with the original Assessment and Design work, plus a charge in respect of the additional work applied by way of an hourly rate

Reservation of Import Capacity

6.24 On occasion, applicants will wish to reserve Import Capacity on the Distribution System ahead of their planned usage, once the Company has constructed the infrastructure for their development.

Where the works by the company for the applicant do not deliver the connection(s) and/or where the applicant is not intending to be the first user of connection(s) provided as part of the works, then constructed capacity may be secured through reservation. When an applicant wishes to do so and upon their request, a form of construction agreement including terms for reservation of Import Capacity shall be offered.

The applicant will be required to pay a reservation charge commensurate with the Import Capacity they wish to reserve. The reservation charge will be payable in advance of the period to which it pertains. Failure on the part of the applicant to pay the reservation charge will release the Company from an obligation to reserve the Import Capacity and it may be allocated to other parties.

Reservation charges will reflect the value of the asset capacity reserved. In most circumstances this will be represented by a proportion of the availability charge, HV or LV as appropriate. Where the reservation takes place at EHV, or there are special circumstances, then project specific charges will be developed.

The Company does not offer applicants the right to reserve Import Capacity where applicants' requirements relate to specific end connections from its network for which a Connection Agreement can be entered into. In these circumstances, applicants may secure capacity by entering into a Connection Agreement and paying ongoing Use of System charges commensurate with the requested capacity for which the Company has undertaken works.

Implications of non-half-hourly metering on capacity entitlement

- 6.25 Where your connection is metered by half-hourly metering and the metering is changed to non-half-hourly or a new connection is initially selected to be non-half-hourly metered, such action, in the absence of communication directly to the Company, will be deemed by the Company to be:
- i) a request for a reduction in capacity in relation to an existing connection, or
 - ii) a declaration of requirement in the case of a new connection by your appointed electricity supplier (acting on your behalf) for a capacity of not more than 100kVA, in the absence of an express statement of a lower capacity requirement being submitted to the Company. In such circumstances your agreed capacity shall be deemed to be reduced to 100kVA or such lower capacity as is specified to the Company. It should be noted that any subsequent request for an increase in capacity may incur connection charges.

Non Standard Substation Buildings

- 6.26 Where you require us to locate substation plant and equipment within a non-standard building or enclosure e.g. where the substation is to form an integral part of a building also to be used for other purposes, then other charges will normally apply for building design work and on-site inspections.

Connections for Highway Services Equipment

- 6.27 Where certain criteria are met the provision of metered connections for highway services equipment may be made via a time based connection service charge, e.g. Rent-a-Jointer Services. This is subject to us entering into a contract with you for the provision of such services.

Margin included in Connection Offers

- 6.28 We are allowed to charge a margin on certain elements of connections work as allowed by our Licence. Margins can only be applied to Contestable Work (construction of Extension Assets and other activities as set out in paragraphs 6.7 to 6.13).
- 6.29 The margin (if any) is either "regulated" which is set at 4% by our Licence or is "unregulated" which is not set by our Licence. Our ability to apply these two types of margin is governed by the Authority.

6.30 The table below indicates which type of margin is included in our charges for each type of work.

| | Regulated Margin | Unregulated Margin |
|--|------------------|--------------------|
| In respect of Metered premises owned or occupied by Demand Customers: | | |
| (i) Single LV Service Demand Connections: defined in Section 7.6 | N/A | N/A |
| (ii) Small Project Demand Connections: defined in Section 7.6 | N/A | N/A |
| (iii) LV work: other low voltage Connection Activities involving only low voltage works. | Yes | No |
| (iv) HV work: low voltage or high voltage Connection Activities involving high voltage work | Yes | No |
| (v) HV and EHV work: low voltage or high voltage Connection Activities involving extra high voltage work. | Yes | No |
| (vi) EHV work and above: extra high voltage and 132kV Connection Activities. | Yes | No |
| In respect of Metered premises in which Distributed Generation is situated: | | |
| (vii) LV work: low voltage Connection Activities involving only low voltage work. | Yes | No |
| (viii) HV and EHV work: any Connection Activities involving work at high voltage or above. | Yes | No |
| In respect of unmetered premises: | | |
| (ix) LA work: New Connection Activities in respect of local authority premises. | Yes | No |
| (x) PFI work: New Connection Activities under private finance initiatives. | Yes | No |
| (xi) Other work: all other non-local authority and non-PFI unmetered connections work. | Yes | No |

Section 7 – Connection Charging Statement

Introduction

- 7.1 This Section sets out our Connection Charging Statement prepared in accordance with Standard Licence Condition 14 of the Licence.
- 7.2 The purpose of this statement is to enable any person to make a reasonable estimate of the charges liable for the provision of a connection.
- 7.3 The minimum and maximum values of charges shown in the following tables are designed to provide you with an indication of the range of charges that would normally apply to a particular activity and are therefore not absolute limits on the minimum nor the maximum value of charge that may be levied. The actual charge for each activity will be calculated based upon the project specific circumstances which may take account of the cost apportionment rules and other factors that will influence the value of the charge payable by you.
- 7.4 All indicative charges in the tables below are exclusive of VAT.
- 7.5 Connection Charges may contain some or all of the cost elements indicated in the following table. You do not need to have requested a Budget Estimate or Feasibility Study before you request a formal Connection Offer.

| | Charge Element | Explanation |
|---|---|--|
| A | Budget Estimates | To identify the budget costs for connection to the existing Distribution System in advance of a formal application. |
| B | Feasibility Studies | To identify options for connection to the existing Distribution System in advance of a formal application. |
| C | Assessment and Design for all relevant work | To identify the most appropriate point on the existing Distribution System for connection of the Extension Assets, the design of the Extension Assets, any required Reinforcement and prepare the Connection Offer. |
| D | CIC Assessment and Design of the Non-Contestable Work | To identify the most appropriate point on the existing Distribution System for connection of the Extension Assets, the design of any required Reinforcement and prepare the POC Offer. |
| E | CIC Design Approval of the Contestable Work | For CIC the approval of an Extension Assets design produced by an ICP. |
| F | Construction | Electric Lines and Electrical Plant forming part of the Extension Assets and Reinforcement (both Contestable and Non-Contestable Assets). |
| G | CIC Final Works and Phased Energisation | Final Works means the installation of the connection equipment in such a way that, subject to Energisation, the Premises are physically able to receive a supply of electricity from our Distribution System or (as the case may be) our Distribution System is physically able to receive a supply of electricity from the Premises. Phased Energisation, in relation to a part only of the Premises, means the physical ability, subject to the completion of Final Works, to allow an electrical current to flow from (or to) our Distribution System to (or from) |

| | | |
|---|-------------------------------|--|
| | | that part by means of the insertion of a fuse or as a result of a switching operation. |
| H | CIC Inspection and Monitoring | Inspection and Monitoring by us of the Contestable Work constructed by an ICP. |
| I | Land Rights | The costs of securing Land Rights in respect of Extension Assets and Reinforcement |
| J | Other | Other miscellaneous charges associated with the provision of the connection. |

7.6 The following definitions are used in this Section.

| | |
|--|--|
| Single LV Service Demand Connection | an LV demand connection to single Premises, involving a single-phase connection and no significant work other than the provision of a service line and the electricity distributor's fuses. |
| Service Line | a low-voltage electric line or any part of that line that will, at the time it is provided, be used only for supplying single Premises, excluding any part of the line that, at the time it is provided, is intended by the distributor to be used to enable it to provide a connection to other Premises in respect of which the distributor has received, or would reasonably expect within the following 12 months to receive, a notice under section 16A(1) of the Act. |
| Small Project Demand Connection | <p>a connection (other than of a load that could reasonably be expected to cause disruption to other customers) (via low-voltage circuits fused at 100 amperes or less per phase with whole-current metering), and where the highest voltage of the assets involved in providing such connection, and any associated works, is low voltage, to –</p> <ul style="list-style-type: none"> a) a development Scheme requiring more than one but fewer than five single-phase connections at domestic Premises and involving only the provision of a service line and the electricity distributor's fuses; or (b) a development Scheme requiring fewer than five single-phase or two-phase connections at domestic Premises and involving an extension of the existing low voltage network; or (c) a single Premises requiring a two-phase or three-phase connection and involving only the provision of a service line and the electricity distributor's fuses. |

Quotation Accuracy Scheme

- 7.7 We are required in our Licence to submit from time to time to the Authority for approval a Quotation Accuracy Scheme (QAS). The QAS is intended to provide information so that you can assess whether the specific Connection Charge included within our Connection Offer to you is accurate in terms of consistency with our Connection Charging Statement.
- 7.8 The QAS only applies to Single LV Service Demand Connections and Small Project Demand Connections. The cost tables for these projects are given in tables F1 and F2.
- 7.9 The principles of the QAS are as follows:
- The QAS is not intended to be a mechanism for you to challenge the absolute cost of the Connection Charge.
 - If the information included in the Connection Offer is sufficient such that the Connection Charge is within the bands of indicative costs then you would not be eligible to challenge the accuracy of the Connection Offer..
 - If the information included in the Connection Offer is such that the Connection Charge is outside the bands of indicative costs then you would be eligible to challenge the accuracy of the Connection Offer. You would be required to provide a statement to explain why you believed the quotation to be outside the range.
 - Absence of information in the Connection Offer does not in itself mean that the Connection Charge is inaccurate but does allow you to enter the QAS. This therefore acts as an incentive for us to include additional information to you to limit the number of customers eligible to enter the QAS.
 - Where we review the Connection Offer and accept that we have not provided enough information and therefore the Connection Charge is outside the bands of indicative costs, the Connection Charge will be deemed inaccurate, a penalty payment will be paid to you and a new Connection Offer issued. The revised Connection Charge may in fact be for the same value but with additional information provided.
 - If we can demonstrate that additional information was provided in the Connection Offer in support of our Connection Charge then no penalty payment will be made.
 - Where we review the Connection Offer and accept that we have made an error, for example in estimating quantities then the Connection Charge will be deemed inaccurate. In these circumstances, a penalty payment will be paid to you and a new Connection Offer issued.
 - If we are able to provide additional information in support of our charges then no payment would be made.
 - The accuracy assessment will work both ways, i.e. any error may be an omission and a re-issued Connection Offer could be higher or lower than the original Connection Charge.
 - Some tolerances for the error would apply, for example within 5% or £150 (whichever is the greater). This prevents a disproportionate effect for say small lengths of cable if our view and your view on the required length differ.

- The QAS is not intended to introduce standard charges for connections customers.
 - The QAS will have specified time limits whereby you can challenge the Connection Charge but will not preclude you from accepting the Connection Charge.
- 7.10 Where you believe the Connection Offer provided by us is outside the “bandwidth” in the indicative charges tables contained in this statement then you can enter the QAS.
- 7.11 You can enter the QAS by contacting us at the address given in paragraph 1.31.

A Budget Estimates

7.12 If you are unable to make a formal Application because certain information that we require to make a Connection Offer is not available or if you are not in a position to progress to the construction phase, we can provide an indication of the charge for making the connection by means of a Budget Estimate (see paragraph 2.8 for further details). Our charges associated with the provision of Budget Estimates in advance of a formal Application are set out in the table below:-

| Category | Charge |
|---|--------|
| Demand | |
| Single LV Service Demand Connection ^A | £0 |
| 2 to 4 services single phase LV, no extension to LV network ^B | £0 |
| 1-4 Premises, single phase LV, extension to the LV network ^C required | £0 |
| 1 three phase LV service with whole current metering to a single Premises ^D | £0 |
| Other LV connection(s) with a total load up to 100kVA LV | £0 |
| Other LV connection(s) with a total load greater than 100kVA and up to 250kVA LV not covered by the above | £0 |
| Connection greater than 250kVA and up to 1MVA at LV | £0 |
| Connection up to 250kVA at HV | £0 |
| Connection greater than 250kVA and up to 1MVA at HV | £0 |
| Connection greater than 1MVA and up to 3MVA at HV | £0 |
| Connection greater than 3MVA and up to 10MVA at HV | £0 |
| Connection greater than 3MVA and up to 10MVA at EHV | £0 |
| Connection greater than 10MVA and up to 50MVA | £0 |
| Connection greater than 50MVA | £0 |
| Generation | |
| Connection of a single Small Scale Embedded Generator | £0 |
| Connection of other generation at LV up to 20kVA not covered by the above | £0 |
| Connection of other generation at LV greater than 20kVA and up to 50kVA | £0 |
| Connection of other generation at LV greater than 50kVA | £0 |
| Connection of generation at HV up to 250kVA | £0 |
| Connection of generation at HV greater than 250kVA and up to 1MVA | £0 |
| Connection of generation at HV greater than 1MVA | £0 |
| Connection of generation at EHV up to 10MVA | £0 |
| Connection of generation at EHV greater than 10MVA | £0 |
| Connection of generation greater than 50MVA | £0 |

| | | |
|---|--|--|
| A | Refer to 7.6 above for detailed definition. | |
| B | Refer to 7.6 above, Small Project Demand Connection (a) for detailed definition. | |
| C | Refer to 7.6 above, Small Project Demand Connection (b) for detailed definition. | |

Note 1: “LV”, “HV”, or “EHV” in the table above denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

Note 2: “Small Scale Embedded Generator” as defined in 2.29

B Feasibility Studies

- 7.13 Prior to making a formal Application for a Connection Offer you may request we undertake a Feasibility Study to establish the viability of making a connection to our Distribution System. We will carry out preliminary network analysis and provide an indicative connection assessment which will include the results of the network analysis and an outline of the engineering scheme to allow the connection. We will require payment in advance of the study being made and will notify you of the relevant study charges prior to commencing work.
- 7.14 Our charges associated with the provision of Feasibility Studies involving design in advance of a formal Connection Application are set out in the table below. Charges for any other activities, such as excavation works will be individually assessed and agreed with you before these are undertaken. The Minimum Charge will always apply. Additional charges will only be applicable where the Applicant amends their connection requirements which necessitates us to carry out further analysis or assessment:-

| Category | Charge | Additional charge |
|---|--------|-------------------|
| Demand | | |
| Single LV Service Demand Connection ^A | POA | POA |
| 2 to 4 services single phase LV, no extension to LV network ^B | POA | POA |
| 1-4 Premises, single phase LV, extension to the LV network ^C required | POA | POA |
| 1 three phase LV service with whole current metering to a single Premises ^D | POA | POA |
| Other LV connection(s) with a total load up to 100kVA LV not covered by the above | POA | POA |
| Other LV connection(s) with a total load greater than 100kVA and up to 250kVA LV not covered by the above | POA | POA |
| Connection greater than 250kVA and up to 1MVA at LV | POA | POA |
| Connection up to 250kVA at HV | POA | POA |
| Connection greater than 250kVA and up to 1MVA at HV | POA | POA |
| Connection greater than 1MVA and up to 3MVA at HV | POA | POA |
| Connection greater than 3MVA and up to 10MVA at HV | POA | POA |
| Connection greater than 3MVA and up to 10MVA at EHV | POA | POA |
| Connection greater than 10MVA and up to 50MVA | POA | POA |
| Connection greater than 50MVA | POA | POA |
| Generation | | |

| | | |
|---|-----|-----|
| Connection of a single Small Scale Embedded Generator | POA | POA |
| Connection of other generation at LV up to 20kVA not covered by the above | POA | POA |
| Connection of other generation at LV greater than 20kVA and up to 50kVA | POA | POA |
| Connection of other generation at LV greater than 50kVA | POA | POA |
| Connection of generation at HV up to 250kVA | POA | POA |
| Connection of generation at HV greater than 250kVA and up to 1MVA | POA | POA |
| Connection of generation at HV greater than 1MVA | POA | POA |
| Connection of generation at EHV up to 10MVA | POA | POA |
| Connection of generation at EHV greater than 10MVA | POA | POA |
| Connection of generation greater than 50MVA | POA | POA |
| A Refer to 7.6 above for detailed definition. B Refer to 7.6 above, Small Project Demand Connection (a) for detailed definition. C Refer to 7.6 above, Small Project Demand Connection (b) for detailed definition. D Refer to 7.6 above, Small Project Demand Connection (c) for detailed definition. | | |

Note 1: "LV", "HV", or "EHV" in the table above denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

Note 2: "Small Scale Embedded Generator" as defined in 2.29

C Assessment and Design for all relevant work

7.15 For applications received in accordance with Section 2 of this Statement, our charges associated with the identification of the most appropriate point on the existing Distribution System for connection and the design of any Extension Assets and/ or Reinforcement are set out in the table below. We may levy additional assessment and design charges where the work undertaken exceeds the costs included in the minimum charge:-

| Category | Min Charge | Additional charge |
|---|------------|-------------------|
| Demand | | |
| Single LV Service Demand Connection ^A | £83 | N/A |
| 2 to 4 services single phase LV, no extension to LV network ^B | £463 | N/A |
| 1-4 Premises, single phase LV, extension to the LV network ^C required | £463 | N/A |
| 1 three phase LV service with whole current metering to a single Premises ^D | £83 | N/A |
| Other LV connection(s) with a total load up to 100kVA LV not covered by the above | £410 | £75 per hour |
| Other LV connection(s) with a total load greater than 100kVA and up to 250kVA LV not covered by the above | £730 | £75 per hour |
| Connection greater than 250kVA and up to 1MVA at LV | £2,330 | £75 per hour |
| Connection up to 250kVA at HV | £730 | £75 per hour |
| Connection greater than 250kVA and up to 1MVA at HV | £2,330 | £75 per hour |
| Connection greater than 1MVA and up to 3MVA at HV | £6,570 | £75 per hour |
| Connection greater than 3MVA and up to 10MVA at HV | £7,640 | £75 per hour |
| Connection greater than 3MVA and up to 10MVA at EHV | £7,640 | £75 per hour |
| Connection greater than 10MVA and up to 50MVA | POA | £75 per hour |
| Connection greater than 50MVA | POA | £75 per hour |
| Generation | | |
| Connection of a single Small Scale Embedded Generator | £83 | £75 per hour |
| Connection of other generation at LV up to 20kVA not covered by the above | £580 | £75 per hour |
| Connection of other generation at LV greater than 20kVA and up to 50kVA | £640 | £75 per hour |
| Connection of other generation at LV greater than 50kVA | £960 | £75 per hour |

| | | |
|--|--------|--------------|
| Connection of generation at HV up to 250kVA | £2,730 | £75 per hour |
| Connection of generation at HV greater than 250kVA and up to 1MVA | £4,730 | £75 per hour |
| Connection of generation at HV greater than 1MVA | £9,740 | £75 per hour |
| Connection of generation at EHV up to 10MVA | POA | £75 per hour |
| Connection of generation at EHV greater than 10MVA | POA | £75 per hour |
| Connection of generation greater than 50MVA | POA | £75 per hour |
| A Refer to 7.6 above for detailed definition. | | |
| B Refer to 7.6 above, Small Project Demand Connection (a) for detailed definition. | | |
| C Refer to 7.6 above, Small Project Demand Connection (b) for detailed definition. | | |
| D Refer to 7.6 above, Small Project Demand Connection (c) for detailed definition. | | |

Note 1: "LV", "HV", or "EHV" in the table above denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

Note 2: "Small Scale Embedded Generator" as defined in 2.29

D CIC Assessment and Design of the Non-Contestable Work

7.16 For application received in accordance with Section 3 of this Statement, our charges associated with the identification of the most appropriate point on the existing Distribution System for connection of the Extension Assets and the design of any Network Reinforcement are set out in the Table below:-

| Category | Charge | Additional charge |
|---|--------|-------------------|
| Demand | | |
| Single LV Service Demand Connection ^A | £38 | N/A |
| 2 to 4 services single phase LV, no extension to LV network ^B | £98 | N/A |
| 1-4 Premises, single phase LV, extension to the LV network ^C required | £98 | N/A |
| 1 three phase LV service with whole current metering to a single Premises ^D | £38 | N/A |
| Other LV connection(s) with a total load up to 100kVA LV not covered by the above | £110 | £75 per hour |
| Other LV connection(s) with a total load greater than 100kVA and up to 250kVA LV not covered by the above | £270 | £75 per hour |
| Connection greater than 250kVA and up to 1MVA at LV | £1,030 | £75 per hour |
| Connection up to 250kVA at HV | £270 | £75 per hour |
| Connection greater than 250kVA and up to 1MVA at HV | £1,030 | £75 per hour |
| Connection greater than 1MVA and up to 3MVA at HV | £3,070 | £75 per hour |
| Connection greater than 3MVA and up to 10MVA at HV | £3,580 | £75 per hour |
| Connection greater than 3MVA and up to 10MVA at EHV | £3,580 | £75 per hour |
| Connection greater than 10MVA and up to 50MVA | POA | £75 per hour |
| Connection greater than 50MVA | POA | £75 per hour |
| Generation | | |
| Connection of a single Small Scale Embedded Generator | £38 | £75 per hour |
| Connection of other generation at LV up to 20kVA not covered by the above | £360 | £75 per hour |
| Connection of other generation at LV greater than 20kVA and up to 50kVA | £390 | £75 per hour |
| Connection of other generation at LV greater than 50kVA | £400 | £75 per hour |
| Connection of generation at HV up to 250kVA | £2,000 | £75 per hour |

| | | |
|--|--------|--------------|
| Connection of generation at HV greater than 250kVA and up to 1MVA | £3,210 | £75 per hour |
| Connection of generation at HV greater than 1MVA | £5,610 | £75 per hour |
| Connection of generation at EHV up to 10MVA | POA | £75 per hour |
| Connection of generation at EHV greater than 10MVA | POA | £75 per hour |
| Connection of generation greater than 50MVA | POA | £75 per hour |
| A Refer to 7.6 above for detailed definition. | | |
| B Refer to 7.6 above, Small Project Demand Connection (a) for detailed definition. | | |
| C Refer to 7.6 above, Small Project Demand Connection (b) for detailed definition. | | |
| D Refer to 7.6 above, Small Project Demand Connection (c) for detailed definition. | | |

Note 1: "LV", "HV", or "EHV" in the table above denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

Note 2: "Small Scale Embedded Generator" as defined in 2.29.

E CIC Design Approval of the Contestable Work

7.17 For application received in accordance with Section 3 of this Statement, our charges associated with the approval of an Extension Asset design produced by an ICP are set out in the Table below:-

| Category | Charge | Additional charge |
|---|--------|-------------------|
| Demand | | |
| Single LV Service Demand Connection ^A | £15 | N/A |
| 2 to 4 services single phase LV, no extension to LV network ^B | £151 | N/A |
| 1-4 Premises, single phase LV, extension to the LV network ^C required | £151 | N/A |
| 1 three phase LV service with whole current metering to a single Premises ^D | £15 | N/A |
| Other LV connection(s) with a total load up to 100kVA LV not covered by the above | £170 | £75 per hour |
| Other LV connection(s) with a total load greater than 100kVA and up to 250kVA LV not covered by the above | £290 | £75 per hour |
| Connection greater than 250kVA and up to 1MVA at LV | £930 | £75 per hour |
| Connection up to 250kVA at HV | £290 | £75 per hour |
| Connection greater than 250kVA and up to 1MVA at HV | £930 | £75 per hour |
| Connection greater than 1MVA and up to 3MVA at HV | £2,630 | £75 per hour |
| Connection greater than 3MVA and up to 10MVA at HV | £3,060 | £75 per hour |
| Connection greater than 3MVA and up to 10MVA at EHV | £3,060 | £75 per hour |
| Connection greater than 10MVA and up to 50MVA | POA | £75 per hour |
| Connection greater than 50MVA | POA | £75 per hour |
| Generation | | |
| Connection of a single Small Scale Embedded Generator | £15 | £75 per hour |
| Connection of other generation at LV up to 20kVA not covered by the above | £100 | £75 per hour |
| Connection of other generation at LV greater than 20kVA and up to 50kVA | £120 | £75 per hour |
| Connection of other generation at LV greater than 50kVA | £250 | £75 per hour |
| Connection of generation at HV up to 250kVA | £290 | £75 per hour |
| Connection of generation at HV greater than 250kVA and up to 1MVA | £1,100 | £75 per hour |

| | | |
|--|--------|--------------|
| Connection of generation at HV greater than 1MVA | £3,100 | £75 per hour |
| Connection of generation at EHV up to 10MVA | POA | £75 per hour |
| Connection of generation at EHV greater than 10MVA | POA | £75 per hour |
| Connection of generation greater than 50MVA | POA | £75 per hour |
| A Refer to 7.6 above for detailed definition. | | |
| B Refer to 7.6 above, Small Project Demand Connection (a) for detailed definition. | | |
| C Refer to 7.6 above, Small Project Demand Connection (b) for detailed definition. | | |
| D Refer to 7.6 above, Small Project Demand Connection (c) for detailed definition. | | |

Note 1: “LV”, “HV”, or “EHV” in the table above denotes the highest voltage of assets installed including any associated Reinforcement or diversionary works.

Note 2: “Small Scale Embedded Generator” as defined in 2.29.

F Construction

F1 Small Services covered by Quotation Accuracy Scheme

- 7.18 Our charges associated with the construction of small services (1-4 single phase connections or a single three phase connection up to [60kVA] are set out in the table below:-
- 7.19 Charges below cover both the Contestable Work and Non-Contestable Work, however these will be identified separately on your Connection Offer.. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.20 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.21 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.
- 7.22 These charges are covered by the Quotation Accuracy Scheme outlined under paragraphs 7.7 to 7.11 of this Section.

| | | | Area | IDNO (OPN) | |
|----------------------|--|---|------|------------|--------|
| Activity | Description | Factors | Unit | Min | Max |
| Single phase service | Single phase service, from a passing main, including cable, mains service joint, excavate and backfill joint hole, (excavate to site boundary*), and termination. Service cable length up to 5 metres. Duct within site boundary installed by third party. | Same side service in typical tarmac footpath. | # | £1,300 | £3,800 |
| | | Same side service in typical grass verge. | # | £1,000 | £3,000 |
| | | Cross road service in typical carriageway | # | £1,350 | £5,000 |
| | | | | | |
| | Additional metres of | In typical tarmac | m | £120 | £200 |

| | | | | | |
|--------------------------------|---|---|---|--------|--------|
| | service cable | footpath. | | | |
| | | In typical grass verge | m | £40 | £90 |
| | | In typical carriageway | m | £200 | £500 |
| | Duct laid by ourselves | | m | £5 | £30 |
| Three phase service (60kVA) | Three phase service, from a passing main, including service cable, mains service joint, excavate and backfill joint hole, (excavate to site boundary*) and termination. Service cable length up to 5 metres. Duct installed by third party. | Same side service in typical tarmac footpath. | # | £1,500 | £4,000 |
| | | Same side service in typical grass verge. | # | £1,300 | £3,200 |
| | | Cross road service in typical carriageway | # | £1,500 | £5,200 |
| | | | | | |
| | Additional metres of three phase service cable | In typical tarmac footpath. | m | £120 | £200 |
| | | In typical grass verge | m | £40 | £90 |
| | | In typical carriageway | m | £200 | £500 |
| | Duct laid by ourselves | | m | £5 | £30 |
| Extension of low voltage mains | Low voltage mains cable. Excavate 10 metres of ground and install LV mains cable and re-instate to match existing surface, includes straight joint onto main and bottle | Trench or duct by others (including backfill & reinstatement) | # | £800 | £3,000 |
| | | In typical tarmac footpath. | # | £2,500 | £6,000 |
| | | In typical grass | # | £1,700 | £4,500 |

| | | | | | |
|------------------------|--|---|-----|--------|--------|
| | end. | verge | | | |
| | | In typical carriageway | # | £2,200 | £7,500 |
| | | Traffic Management Fees | | POA | POA |
| | Additional metres of LV mains cable | Trench or duct by others (including backfill & reinstatement) | m | £15 | £90 |
| | | In typical tarmac footpath. | m | £120 | £200 |
| | | In typical grass verge | m | £40 | £120 |
| | | In typical carriageway | m | £200 | £500 |
| Duct laid by ourselves | m | £5 | £30 | | |
| Overhead service | Overhead connection to existing overhead line including installation of new overhead service with pole termination to connect to overhead network, up to 10 metres. Pole at site boundary and assumes no additional poles installed. | Single phase | | N/A | N/A |
| | | Three phase | | N/A | N/A |

Note 1: Reinstatement costs for cobbles, granite setts, large flag stones etc. will be higher and will be reflected in the Connection Charge

F2 Service Alterations

- 7.23 Our charges associated with changes of service positions for single services (single phase connections or three phase connections up to 60kVA) are set out in the table below.
- 7.24 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.25 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.
- 7.26 These charges are covered by the Quotation Accuracy Scheme outlined under paragraphs 7.7 to 7.11 of this Section.

| Activity | Description | Factors | Area | IDNO (OPN) | |
|---------------------------------|---|--|------|------------|--------|
| | | | Unit | Min | Max |
| Single phase service alteration | Single phase service, including service cable, joint, and termination. Service cable length up to 5 metres. | Service alteration in customer land. | # | £900 | £3,000 |
| | | Same side service alteration in typical grass verge including excavation, backfill and reinstatement to site boundary and joint hole | # | £900 | £3,800 |
| | | Same side service alteration in typical tarmac footpath including excavation, backfill and reinstatement to site boundary and joint hole | # | £950 | £4,500 |
| | | Cross road service alteration in typical carriageway including | # | £950 | £6,000 |

| | | | | | |
|--|--|--|---|--------|--------|
| | | excavation, backfill and reinstatement to site boundary and joint hole | | | |
| | Additional metres of service cable | Customer's land | m | £3 | £20 |
| | | In typical grass verge (including excavation, installation, backfilling and reinstatement) | m | £40 | £90 |
| | | In typical tarmac footpath(including excavation, installation, backfilling and reinstatement) | m | £120 | £200 |
| | | In typical carriageway (including excavation, installation, backfilling and reinstatement) | m | £200 | £500 |
| Three phase service alteration (60kVA) | Three phase service, including service cable, joint and termination. Service cable length up to 5 metres. Duct installed by third party. | Service alteration in customer land. | # | £900 | £3,000 |
| | | Same side service alteration in typical grass verge including excavation, backfill and reinstatement to site boundary and joint hole | # | £1,450 | £4,000 |
| | | Same side service alteration in typical tarmac footpath including excavation, backfill and reinstatement to site boundary and joint hole | # | £1,450 | £5,200 |
| | | Cross road service alteration in typical | # | £1,650 | £6,200 |

| | | | | | |
|-----------------------------|--|---|---|------|------|
| | | carriageway including excavation, backfill and reinstatement to site boundary and joint hole | | | |
| | Additional metres of three phase service cable | Customer's land | m | £3 | £20 |
| | | In typical grass verge (including excavation, installation, backfilling and reinstatement) | m | £40 | £90 |
| | | In typical tarmac footpath(including excavation, installation, backfilling and reinstatement) | m | £120 | £200 |
| | | In typical carriageway (including excavation, installation, backfilling and reinstatement) | m | £200 | £500 |
| Overhead service alteration | Overhead service alteration including overhead line, connection up to 10 metres. Assumes no additional pole required. | Single phase | # | N/A | N/A |
| | | Three phase | # | N/A | N/A |
| | Overhead to underground service alteration, including removal of overhead service and installation of new underground service with pole termination to connect to overhead network, up | Single phase | # | N/A | N/A |
| | | Three phase | # | N/A | N/A |

| | | | | | |
|--|---|--|--|--|--|
| | <p>to 5 metres* underground service. On site excavation and duct within site boundary installed by third party. Pole at site boundary and assumes no additional poles installed or any removed.</p> | | | | |
| | | | | | |

Note 1: Reinstatement costs for cobbles, granite setts, large flag stones etc. will be higher and will be reflected in the Connection Charge.

F3 Other LV Services not covered by the QAS

- 7.27 Our charges associated with construction of services to the Entry/ Exit Point that are not covered by the Quotation Accuracy Scheme are given in Table below. These charges are for the connection of the service cable only.
- 7.28 Charges below cover both the Contestable Work and Non-Contestable Work, however these will be identified separately on your Connection Offer/POC Offer. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.29 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.30 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.

| | | Area | IDNO (OPN) | |
|--|---|------|------------|--------|
| Activity | Description | Unit | Min | Max |
| Single phase service, up to 100A [60kVA] | One single phase service, from a passing or extended main, including service cable, mains service joint, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £500 | £1,800 |
| | Multiple single phase services, from an extended main, including service cable, mains service joints, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,000 | £5,500 |
| | Excavation and backfill of joint hole | # | £550 | £1,400 |
| | Additional metres of service cable | m | £3 | £300 |
| Three phase service | A single three phase service, from a passing main, including service cable, mains service joint, and termination. | # | £800 | £2,200 |

| | | | | |
|---|---|---|--------|--------|
| up to 100A per phase [60kVA] | Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | | | |
| | Excavation and backfill of joint hole | # | £550 | £1,400 |
| | Additional metres of three phase service cable | m | £3 | £300 |
| Three phase service up to 200A per phase [120kVA] | A single three phase service, from a passing main, including service cable, mains service joint, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,000 | £4,000 |
| | Excavation and backfill of joint hole | # | £550 | £1,400 |
| | Additional metres of three phase service cable | m | £10 | £300 |
| Three phase service up to 300A per phase [180kVA] | A single three phase service, from a passing main, including service cable, mains service joint, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,200 | £4,400 |
| | Excavation and backfill of joint hole | # | £550 | £1,400 |
| | Additional metres of three phase service cable | m | £10 | £300 |
| Three phase service up to 300A per phase [240kVA] | A single three phase service, from a passing main, including service cable, mains service joint, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,200 | £4,400 |
| | Excavation and backfill of joint hole | # | £550 | £1,400 |

| | | | | |
|-------------------------------------|--|---|--------|--------|
| | Additional metres of three phase service cable | m | £10 | £300 |
| Three phase service over [240 kVA] | A single three phase service, from a suitable source, including mains or service cable terminations in heavy duty cut-out. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,200 | £4,500 |
| | Excavation and backfill of joint hole | | £550 | £1,400 |
| | Additional metres of three phase service cable | m | £10 | £300 |
| Services to Multi-occupied Premises | Installation of a multi-way cut-out up to 10 way from a passing or extended main, including cables for adjacent communal metering, mains service joint, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,000 | £3,000 |
| | Installation of a multi-way cut-out of greater than 10 way from a passing or extended main, including cables for adjacent communal metering, mains service joint, and termination. Service cable length up to 5 metres per service. Duct installation, excavation and backfill joint hole undertaken by third party. | # | £1,300 | £3,000 |
| | Installation of rising mains and laterals excluding civils and containment work. | | N/A | N/A |
| | Excavation and backfill of joint hole | # | £550 | £1,400 |
| | Additional metres of three phase service cable | m | N/A | N/A |

Note 1: Reinstatement costs for cobbles, granite setts, large flag stones etc. will be higher and will be reflected in the Connection Charge

F4 Unmetered Supplies

- 7.31 Our charges associated with construction activities in respect of unmetered supplies.
- 7.32 Charges below cover both the Contestable and Non-Contestable Work, however these will be identified separately on your Connection Offer/ POC Offer. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.33 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.34 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.

| | | Area | IDNO (OPN) | |
|--------------------|--|------|------------|--------|
| Activity | Description | Unit | Min | Max |
| Unmetered Supplies | New connection up to 5 metres excluding excavation and reinstatement | # | £500 | £700 |
| | Disconnection excluding excavation and reinstatement | # | £100 | £300 |
| | Transfer or reconnection up to 5 metres excluding excavation and reinstatement | # | £300 | £450 |
| | Additional metres of services cable excluding excavation and reinstatement | m | £10 | £20 |
| Unmetered | New connection up to 5 metres on same side of road including | # | £700 | £1,600 |

| | | | | |
|--------------------|--|-----|--------|--------|
| Supplies | excavation and reinstatement | | | |
| | New connections up to 10m on other side of road including excavation and reinstatement | | £1,600 | £3,500 |
| | Disconnection including excavation and reinstatement | # | £300 | £600 |
| | Transfer or reconnection up to 5 metres including excavation and reinstatement | # | £400 | £1,200 |
| | Additional metres of services cable including excavation and reinstatement | m | £40 | £220 |
| Unmetered Supplies | Rent-a-Jointer team (excluding materials) | day | POA | POA |
| Unmetered Supplies | Administrative charge for ICP work | # | POA | POA |

Note 1: These charges exclude special reinstatement requirements for example cobbles, granite setts, large flag stones etc

F5 Mains Cables

- 7.35 Our charges associated with cables are set out in the table below:-
- 7.36 Charges below cover both the Contestable and Non-Contestable Work, however these will be identified separately on your Connection Offer/ POC Offer. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.37 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.38 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.
- 7.39 Where the cable charges are associated with the connection there will be an additional charge for the Final Connection to our existing Distribution System and these charges are identified in 6.30.

| | | Area | IDNO (OPN) | |
|--|---|------|------------|--------|
| Activity | Description | Unit | Min | Max |
| Extension of LV mains cable of 95mm ² or less | Lay 10m cable or less including jointing onto existing main in prepared trench or pulling through duct installed by others. All backfill and reinstatement by others. | # | £600 | £2,200 |
| | Additional metres of mains cable | m | £10 | £25 |
| | Lay 10m cable or less in typical* footpath or carriageway, including excavation and reinstatement to match the existing surface | # | £250 | £2,800 |
| | Additional metres of mains cable | m | £140 | £280 |
| | Lay 10m cable or less in unmade ground, including excavation and reinstatement to match the existing surface | # | £100 | £700 |
| | Additional metres of mains cable | m | £45 | £75 |
| Extension of LV mains | Lay 10m cable or less in prepared trench or pulling through duct installed | # | £35 | £460 |

| | | | | |
|--|---|---|------|--------|
| cable of between 95mm ² and 185mm ² | by others. All backfill and reinstatement by others including jointing onto existing main. | | | |
| | Additional metres of mains cable | m | £10 | £50 |
| | Lay 10m cable or less in typical* footpath or carriageway, including excavation and reinstatement to match the existing surface | # | £250 | £2,900 |
| | Additional metres of mains cable | m | £140 | £290 |
| | Lay 10m cable or less in unmade ground, including excavation and reinstatement to match the existing surface | # | £100 | £850 |
| | Additional metres of mains cable | m | £50 | £85 |
| Extension of LV mains cable of greater than 185mm ² | Lay 10m cable or less in prepared trench or pulling through duct installed by others. All backfill and reinstatement by others including jointing onto existing main. | # | £80 | £550 |
| | Additional metres of mains cable | m | £30 | £55 |
| | Lay 10m cable or less in typical* footpath or carriageway, including excavation and reinstatement to match the existing surface | # | £300 | £3,000 |
| | Additional metres of mains cable | m | £165 | £300 |
| | Lay 10m cable or less in unmade ground, including excavation and reinstatement to match the existing surface | # | £120 | £900 |
| | Additional metres of mains cable | m | £65 | £90 |
| Extension of HV mains cable | Lay 20m cable or less in prepared trench or pulling through duct installed by others. All backfill and reinstatement by others including jointing onto existing | # | £50 | £1,500 |

| | | | | |
|-------------------------------|---|---|------|---------|
| | main. | | | |
| | Additional metres of mains cable | m | £30 | £75 |
| | Lay 20m cable or less in typical* footpath or carriageway, including excavation and reinstate to match the existing surface | # | £400 | £8,000 |
| | Additional metres of mains cable | m | £200 | £400 |
| | Lay 20m cable or less in unmade ground, including excavation and reinstate to match the existing surface | # | £100 | £2,300 |
| | Additional metres of mains cable | m | £50 | £120 |
| Extension of 33kV mains cable | Lay 30m cable or less in prepared trench or pulling through duct installed by others. All backfill and reinstatement by others including jointing onto existing main. | # | £300 | £10,000 |
| | Additional metres of mains cable | m | £150 | £350 |
| | Lay 30m cable or less in typical* footpath or carriageway, including excavation and reinstate to match the existing surface | # | £700 | £20,000 |
| | Additional metres of mains cable | m | £300 | £650 |
| | Lay 30m cable or less in unmade ground, including excavation and reinstate to match the existing surface | # | £400 | £12,500 |
| | Additional metres of mains cable | m | £200 | £450 |
| Extension of 66kV mains cable | Lay 30m cable or less in prepared trench or pulling through duct installed by others. All backfill and reinstatement by others including jointing onto existing main. | # | £350 | £10,000 |

| | | | | |
|--------------------------------|---|---|------|---------|
| | Additional metres of mains cable | m | £150 | £350 |
| | Lay 30m cable or less in typical* footpath or carriageway, including excavation and reinstate to match the existing surface | # | £750 | £20,000 |
| | Additional metres of mains cable | m | £350 | £700 |
| | Lay 30m cable or less in unmade ground, including excavation and reinstate to match the existing surface | # | £650 | £16,000 |
| | Additional metres of mains cable | m | £300 | £550 |
| Extension of 132kV mains cable | Lay 40m cable or less in prepared trench or pulling through duct installed by others. All backfill and reinstatement by others including jointing onto existing main. | # | £300 | £15,000 |
| | Additional metres of mains cable | m | £150 | £400 |
| | Lay 40m cable or less in typical* footpath or carriageway, including excavation and reinstate to match the existing surface | # | £700 | £27,000 |
| | Additional metres of mains cable | m | £350 | £700 |
| | Lay 40m cable or less in unmade ground, including excavation and reinstate to match the existing surface | # | £600 | £22,000 |
| | Additional metres of mains cable | m | £300 | £550 |

Note 1: These charges exclude special reinstatement requirements for example cobbles, granite setts, large flag stones etc

F6 Overhead Lines

- 7.40 Our charges associated with overhead lines are set out in the table below:-
- 7.41 Charges below cover both the Contestable and Non-Contestable Work, however these will be identified separately on your Connection Offer/ POC Offer. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.42 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.43 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.
- 7.44 Where the overhead line charges are associated with the connection there will be an additional charge for the Final Connection to our existing Distribution System and these charges are identified in 7.52.

| | | Area | IDNO (OPN) | |
|----------------------------------|---|------|------------|-----|
| Activity | Description | Unit | Min | Max |
| Extension of L:V overhead lines | Erect a single span LV overhead line including termination pole (typical span length x m) | # | N/A | N/A |
| | Erect additional span LV overhead line (typical span length x m) | # | N/A | N/A |
| Extension of HV overhead lines | Erect a single span HV overhead line including termination pole (typical span length x m) | # | N/A | N/A |
| | Erect additional span HV overhead line (typical span length x m) | # | N/A | N/A |
| Extension of 33kV overhead lines | Erect a single span 33kV overhead line including termination pole (typical span length x m) | # | N/A | N/A |
| | Erect additional span 33kV overhead line (typical span length x m) | # | N/A | N/A |

| | | | | |
|-----------------------------------|--|---|----------|------------|
| Extension of 66kV overhead lines | Erect a single span 66kV overhead line including termination pole (typical span length x m) | # | £450,000 | £1,200,000 |
| | Erect additional span 66kV overhead line (typical span length x m) | # | £150,000 | £200,000 |
| Extension of 132kV overhead lines | Erect a single span 132kV overhead line including termination pole (typical span length x m) | # | £500,000 | £1,400,000 |
| | Erect additional span 132kV overhead line (typical span length x m) | # | £150,000 | £200,000 |

F7 Substations

- 7.45 Our charges associated with substations are set out in the table below:-
- 7.46 Charges below cover both the Contestable and Non-Contestable Work, however these will be identified separately on your Connection Offer/ POC Offer. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.47 The charges in the table below are inclusive of liaison with highway authorities, sending street works notices and signing, lighting and guarding. These charges exclude traffic management costs eg temporary traffic lights, road closures etc and Traffic Management Act costs. Where these additional charges are relevant, these will be included in your connection charge.
- 7.48 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.

| | | Area | IDNO (OPN) | |
|---|--|------|------------|----------|
| Activity | Description | Unit | Min | Max |
| HV/ LV substation pole or pad mounted transformer | Install pole mounted transformer up to 100kVA including pole & stays | # | N/A | N/A |
| | Install pole mounted transformer greater than 100kVA including pole & stays | # | N/A | N/A |
| | Install a pad mounted transformer | # | N/A | N/A |
| | Transformer change | # | N/A | N/A |
| HV/ LV substation ground mounted transformer | Install ground mounted transformer up to and including 315kVA including RMU and LV fuse board or circuit breaker. | # | N/A | N/A |
| | Install ground mounted transformer greater than 315kVA and up to and including 500kVA including RMU and LV fuse board/ cabinet or circuit breaker. | # | £70,000 | £115,000 |
| | Install ground mounted transformer greater than 500kVA and up to and | # | £80,000 | £120,000 |

| | | | | |
|---|---|---|------------|------------|
| | including 800kVA including RMU and LV fuse board/ cabinet or circuit breaker. | | | |
| | Install ground mounted transformer greater than 800kVA and up to 1000kVA including RMU and LV fuse board/ cabinet or circuit breaker. | # | £85,000 | £130,000 |
| | Install ground mounted transformer greater than 1000kVA including RMU and LV fuse board/ cabinet or circuit breaker. | # | £140,000 | £230,000 |
| | Transformer change | # | £70,000 | £230,000 |
| HV only substation (customer owned HV/LV transformer) | Install an internal hv switchgear (e.g. RMU) and metered circuit breaker. | # | £50,000 | £150,000 |
| | Install an external hv switchgear (e.g. RMU) and metered circuit breaker. | # | N/A | N/A |
| EHV/ HV primary substation | New indoor single transformer substation | # | £3,000,000 | £5,500,000 |
| | New indoor double transformer substation | # | £4,000,000 | £7,000,000 |
| | New outdoor single transformer substation | # | £4,000,000 | £6,200,000 |
| | New outdoor double transformer substation | # | £4,500,000 | £6,500,000 |
| | Add an additional transformer at existing indoor substation | # | £1,500,000 | £3,000,000 |
| | Add an additional transformer at existing outdoor substation | # | £1,500,000 | £3,500,000 |
| | Change transformer | # | £2,000,000 | £3,500,000 |
| | Change HV switchgear | # | £2,000,000 | £3,000,000 |

| | | | | |
|--------------------------|---|---|------------|-------------|
| 132kV/ EHV substation | New indoor single transformer substation | # | £5,000,000 | £8,000,000 |
| | New indoor double transformer substation | # | £7,000,000 | £10,700,000 |
| | New outdoor single transformer substation | # | £7,000,000 | £10,000,000 |
| | New outdoor double transformer substation | # | £8,500,000 | £14,000,000 |
| | Add an additional transformer at existing indoor substation | # | £4,500,000 | £6,700,000 |
| | Add an additional transformer at existing outdoor substation | # | £3,500,000 | £6,500,000 |
| | Change transformer | # | £2,500,000 | £4,000,000 |
| | Change HV switchgear | # | £3,500,000 | £6,200,000 |

G CIC Final Works and Phased Energisation

- 7.49 The charges set out in the table below set out the final connections to our network.
- 7.50 Charges below cover Non-Contestable Work or where we are asked to under-take live jointing on Contestable Assets, and will be identified separately on your Connection Offer. Note that your Connection Offer will also include charges for Assessment and Design as outlined in paragraph 7.15 and may include other charges.
- 7.51 These charges exclude charges for any easement, wayleaves or land transfers that are required and these are detailed in Table I Land Rights.
- 7.52 The charges below are exclusive of all cable laying or substation installation costs and all joint hole excavation and reinstatement. These will have been covered by separate charges or have been carried out by your ICP.

| Activity | Description | Unit | Min | Max |
|-----------------------|---|------|------|--------|
| Service Connections | Low voltage service joint to all sizes of low voltage main inclusive of service polarity and earth loop impedance test at the service position | # | £400 | £1,200 |
| LV Mains Energisation | Low voltage mains Energisation of all sizes by a mains joint to an existing cable of any size | # | £600 | £1,300 |
| | Low voltage bottle end to mains cable, any size | # | £200 | £400 |
| | Low voltage mains Energisation of all sizes by terminating to an existing piece of low voltage switchgear, including all associated operating costs | # | POA | POA |
| | Low voltage mains Energisation of all sizes by connection to an overhead line | # | N/A | N/A |

| | | | | |
|-----------------------|---|---|--------------|---------------|
| HV Mains Energisation | High voltage cable Energisation of all sizes by a joint to an existing cable of any size including all associated operational costs | # | £750 | £2,900 |
| | High voltage cable Energisation of all sizes by connection to an existing overhead line including all associated operational costs | # | N/A | N/A |
| | High voltage cable Energisation of all sizes by termination to an existing piece of switchgear including all associated operational costs | # | POA | POA |
| Operational work | LV operational work including for identification of cables requiring LV operations only | # | £50 per hour | £80 per hour |
| | LV commissioning work including switching to commission LV assets installed by ICPs | # | £70 per hour | £120 per hour |
| | HV operational work including for identification of cables requiring HV operations | # | £70 per hour | £120 per hour |
| | HV commissioning work including all operational work required to isolate network and commission HV assets installed and jointed by ICPs | # | £70 per hour | £120 per hour |

H CIC Inspection and Monitoring of the Contestable Works

7.53 Our charges associated with site visits to Inspect and Monitor the construction of the Extension Asset by ICPs are set out in the Table below. The frequency of inspection is set out in Section 6.

| Category | Unit | Charge |
|--------------------|----------------|---------------|
| LV Network | per site visit | POA |
| HV Network | per site visit | POA |
| EHV Network | per site visit | POA |
| 132kV Network | per site visit | POA |
| HV/ LV Substation | per site visit | POA |
| EHV/ HV Substation | per site visit | POA |
| HV/ LV Civils | per site visit | POA |
| EHV/ HV Civils | per site visit | POA |

I Land Rights

7.54 Our charges associated with Land Rights are set out in the Table below. These charges excluded the cost of any compensation payable to third parties

7.55 Where your ICP chooses to negotiate Land Rights on our behalf the charges shown below will be reduced to cover our cost to process the documentation for forwarding to our solicitors.

| Category | Charge | |
|---|--------|-----|
| | Min | Max |
| Residential development substation site from developer (including easements from developer) | £1,200 | - |
| Commercial/industrial development substation site from developer (including easements from developer) | £1,200 | - |
| Residential/commercial/industrial development substation site from third party owner(s) (including easements from same third party owner(s)) | £1,200 | - |
| Wayleave(s)/easement(s) only on a residential site from Developer | £1,200 | - |
| Wayleave(s)/easement(s) only on a commercial/Industrial site from Developer | £1,200 | - |
| Wayleave(s)/easement(s) from third party owner(s) | £1,200 | - |
| Acquisition of Consents specifically associated with overhead lines e.g. Section 37 of the Electricity Act approval to erect overhead lines etc | £1,200 | - |
| Survey associated with overhead lines e.g. determination of pole positions, tree clearance etc. | PoA | |
| Route marking prior to construction e.g. pegging of overhead line route and pole positions etc. | PoA | |
| Acquisition of specific Environmental Consents ie.g. Conservation Area, Listed Buildings etc. | PoA | |
| Negotiations with individuals or organisations concerning nationally recommended compensation payments e.g. crop loss or land damage. This excludes any third party commercial compensation payment charges which will have to be negotiated separately by the Customer or their Agent. | PoA | |
| Traffic Management Act Costs eg permits, lane rental | PoA | |

J Other

7.56 Our miscellaneous charges associated with the provision of the connection are set out in the Table below..

| Category | Charge |
|--|---------------|
| Negotiation of special terms | PoA |
| Meetings not covered by other charges | PoA |
| Abortive Visit | PoA |
| Planning approval | PoA |
| Traffic management costs eg temporary traffic lights, road closures, etc | PoA |

7.57 The Operation and Maintenance Percentage referred to in 5.12 is given in Section 6.

Section 8 – Glossary of Terms

| | |
|---|--|
| Act | the Electricity Act 1989 (as amended) |
| Adoption Agreement | is defined in paragraph 1.15 |
| Affected Parties | is defined in paragraph 2.1 |
| Application Date | is defined in paragraph 2.1 |
| Bilateral Connection Agreement | an agreement between us and another LDNO setting out the terms and conditions under which an embedded network shall be entitled to be and remain connected to the Distribution System |
| Budget Estimate | Is defined in paragraph 2.8 and 3.13 |
| Business Day | any day other than a Saturday, a Sunday, Christmas Day, Good Friday or a day which is a bank holiday within the meaning of the Banking and Financial Dealings Act 1971 and will be from 9:00am to 5:00pm (GMT or BST as applicable). |
| Committed Network | is defined in paragraph Error! Reference source not found.. |
| Competition in Connections (CIC) | is defined in paragraph 1.7. |
| CIC Charges | are the charges detailed in parts D, E, G, H, I, and J of Section 7. |
| Connection Agreement | is defined in paragraphs 1.16. |
| Connection Charge | the payment to be made by the applicant to us for the provision of the connection. |
| Connection Offer | is defined in paragraph 2.13 |
| Contestable Work | is defined in paragraphs 6.7 |
| CUSC | the Connection and Use of System Code which constitutes the contractual framework for connection to, and use of, the GB Transmission System. |
| Customer | the person requesting the connection. |
| DCUSA | the Distribution Connection and Use of System Agreement designated as such by the Authority under condition 22 of the Licence |
| De-energise | to deliberately prevent the flow of electricity to or from an Exit/ Entry Point for any purpose other than a system outage on our Distribution System (and cognate expressions shall be construed accordingly). |
| Development Phase | the three year period, unless otherwise agreed with us, commencing on the date of Energisation of an embedded network over which the development is constructed. |
| Disconnect | means to permanently De-energise an Exit/ Entry Point by the removal of all or part of our equipment (and cognate expressions shall be construed accordingly). |
| Distributed | The guide produced by us as required by our Licence which |

| | |
|---|---|
| Generation Connections Guide | provides guidance on the connection process for distributed generation. |
| Distribution Code | is defined in paragraph 1.18 |
| Distribution System | the system (as defined in the Licence) consisting (wholly or mainly) of electric lines owned or operated by us and used for the distribution of electricity. |
| ECCR | the Electricity (Connection Charges) Regulations 2002 (SI 2002/93) as amended from time to time. |
| EHV | more than 22kV but not more than 72kV |
| Electric Lines | means any line which is used for carrying electricity to or from an Exit/ Entry Point and includes, unless the context otherwise requires: (a) any support for such line, that is to say, any structure, pole or other thing in, on, by or from which any such line is or may be supported, carried or suspended; (b) any apparatus connected to such line for the purpose of carrying electricity; and (c) any wire, cable, tube, pipe or other similar thing (including its casing or coating) which surrounds or supports, or is surrounded or supported by, or is installed in close proximity to, or is supported, carried or suspended in association with, any such line. |
| Electric Plant | means any plant, equipment, apparatus or appliance used for or for purposes connected with the distribution of electricity (including any metering equipment) other than an Electric Line. |
| Energise | to deliberately allow the flow of electricity to or from an Exit/ Entry Point where such a flow of electricity has never previously existed (and cognate expressions shall be construed accordingly). |
| Enhanced Scheme | is defined in paragraph 5.4 |
| Entry/ Exit Point | A point at which electricity, whether metered or unmetered, enter or exit our Distribution System. |
| Existing Capacity | is defined in paragraph 5.24 |
| Existing Network | Means our currently installed and commissioned Distribution System. |
| Extension Assets | are assets installed to connect a party or parties to the existing distribution network but which exclude Reinforcement assets. |
| Fault Level | the maximum prospective current or power that will flow into a short circuit at a point on the network, usually expressed in MVA or kA. |
| Fault Level Contribution from Connection | is defined in paragraph 5.24 |
| Feasibility Study | Is defined in paragraph 2.9 and 3.14 . |
| GB Transmission | the system consisting (wholly or mainly) of high voltage |

| | |
|--|---|
| System | electric wires owned or operated by transmission licensees within Great Britain. |
| Guaranteed Standards of Performance | standards of service backed by a guarantee and set out in the Electricity (Standards or Performance) Regulations 2005 (as amended). |
| HV | more than 1kV but not more than 22kV |
| Independent Connections Provider (ICP) | a person with sufficient accreditation to carry out all or part of the Contestable Work. |
| Interactive Connection Applications | is defined in paragraph 2.21 |
| Interactive Connection Offers | is defined in paragraph 2.21 |
| Interactive Queue | is defined in paragraph 2.21 |
| Interruptions Incentive Scheme | the scheme which provides incentives on us to deliver a good level of performance in respect of customer interruptions and customer minutes lost. |
| Land Rights | all such rights in, under or over Land as are necessary for the construction, installation, operation, repair, maintenance, renewal or use of the Contestable Work or Non-Contestable Work. |
| Licensed Distribution Network Operator (LDNO) | the holder of a Licence to distribute electricity. |
| LV | not more than 1kV |
| Maximum Capacity | means in relation to any connection the maximum amount of electricity, as agreed with us and expressed in kW or kVA, that can be imported from or exported onto our Distribution System. |
| Meter Point Administration Number (MPAN) | is a 21 digit reference to uniquely identify Exit/ Entry Point, such as individual domestic residences. |
| Minimum Scheme | is defined in paragraphs 5.1 to 5.7. |
| National Electricity Registration Scheme | is defined in paragraph 3.3 |
| New Fault Level Capacity | is defined in paragraph 5.24 |
| New Network Capacity | is defined in paragraph 5.24 |
| NGET | National Grid Electricity Transmission plc |
| Non-Contestable Work | is defined in paragraph 6.5 |
| Notice of Interactivity | is defined in paragraph 2.21 |

| | |
|--|--|
| POC Offer | is defined in paragraph 1.14 |
| Point of Connection (POC) | is the point (or points) of physical connection to our existing Distribution System. |
| Premises | means any land, building or structure |
| Reinforcement | is defined in paragraphs 5.16 to 5.21. |
| Relevant Section of Network | is defined in paragraph 5.24 |
| Rent-a-Jointer Services | the service relating to hiring of resource from us to facilitate the provision of unmetered connections. |
| Required Capacity | is defined in paragraph 5.24 |
| Scheme | our network design to provide the connection. |
| Service Line | is defined in paragraph 7.6 |
| Single LV Service Demand Connection | is defined in paragraph 7.6 |
| Small Project Demand Connection | is defined in paragraph 7.6 |
| Speculative Developments | is defined in paragraph 5.39 |
| SSEG | is defined in paragraph 2.3 |
| Supplier | a person who holds a Supply Licence. |
| Supply Licence | a licence granted under section 6(1)(d) of the Act. |
| Supply Number | a unique identifier of those Entry/ Exit Points on the Distribution System which are used for the purposes of either taking a supply of electricity or for the connection of a distributed generator, and which forms the basis of the metering point record on the Company's registration system. |
| Temporary Connections | is defined in paragraph 5.19 |
| Validity Period | The period for which a connection Offer or POC Offer is open for acceptance. |
| Voltage of Connection | is the voltage at the POC between the existing distribution network and the assets used to provide the connection. For clarity, this is not necessarily the voltage of supply to the Customer |
| Working Day | Any day other than a Saturday, a Sunday, Christmas Day, Good Friday or a day which is a bank holiday within the meaning of the Banking and Financial Dealings Act 1971. |